

Great Tinamou 6 (<i>Tinamus major</i>)	Gray Hawk 2, 5, 7, 10, 18 (<i>Asturina nitida</i>)	Royal Tern 7 (<i>Sterna maxima</i>)
Brown Pelican 5, 7 (<i>Pelecanus occidentalis</i>)	Mangrove Black-Hawk 7, 18 (<i>Buteogallus subtilis</i>)	Sandwich Tern 7, 18 (<i>Sterna sandvicensis</i>)
Anhinga 5, 7, 9 (<i>Anhinga anhinga</i>)	Roadside Hawk 9, 17H, 18 (<i>Buteo magnirostris</i>)	Common Tern 7 (<i>Sterna hirundo</i>)
Magnificent Frigatebird 5, 7, 16, 18 (<i>Fregata magnificens</i>)	Short-tailed Hawk 5, 7, 9, 11 (<i>Buteo brachyurus</i>)	Rock Pigeon 2, 5 (<i>Columba livia</i>)
Bare-throated Tiger-Heron 6, 7, 8 (<i>Tigrisoma mexicanum</i>)	Zone-tailed Hawk 7 (<i>Buteo albonotatus</i>)	Pale-vented Pigeon 1, 7H, 9, 17, 18 (<i>Columba cayennensis</i>)
Great Blue Heron 7, 18 (<i>Ardea herodias</i>)	Red-tailed Hawk 13, 14 (<i>Buteo jamaicensis</i>)	Red-billed Pigeon 2, 4, 5, 7, 9 (<i>Columba flavirostris</i>)
Great Egret 5, 7, 8, 9, 10, 16 (<i>Ardea alba</i>)	Collared Forest-Falcon 11 (<i>Micrastur semitorquatus</i>)	Band-tailed Pigeon 4, 13, 14 (<i>Columba fasciata</i>)
Snowy Egret 2, 5, 7, 8, 18 (<i>Egretta thula</i>)	Crested Caracara 7 (<i>Caracara cheriway</i>)	Ruddy Pigeon 3, 13, 14 (<i>Columba subvinacea</i>)
Little Blue Heron 5, 6, 7, 8 (<i>Egretta caerulea</i>)	Yellow-headed Caracara 5, 7, 18 (<i>Milvago chimachima</i>)	Short-billed Pigeon 6H, 9 (<i>Columba nigrirostris</i>)
Tricolored Heron 5, 7 (<i>Egretta tricolor</i>)	Laughing Falcon 17 (<i>Herpetotheres cachinnans</i>)	White-winged Dove 5 (<i>Zenaida asiatica</i>)
Cattle Egret 5, 7, 8, 9, 10, 12, 14, 16, 17, 18 (<i>Bubulcus ibis</i>)	Peregrine Falcon 7, 9 (<i>Falco peregrinus</i>)	Inca Dove 2, 5, 6, 7 (<i>Columbina inca</i>)
Green Heron 5, 7, 8, 12, 16, 17, 18 (<i>Butorides virescens</i>)	Gray-headed Chachalaca 4, 10, 11, 12, 13, 17, 18 (<i>Ortalis cinericeps</i>)	Common Ground-Dove 5 (<i>Columbina passerina</i>)
Yellow-crowned Night-Heron 5, 7 (<i>Nyctanassa violacea</i>)	Crested Guan 9 (<i>Penelope purpurascens</i>)	Plain-breasted Ground-Dove 5 (<i>Columbina minuta</i>)
Boat-billed Heron 7 (<i>Cochlearius cochlearius</i>)	Black Guan 3, 4 (<i>Chamaepetes unicolor</i>)	Ruddy Ground-Dove 5, 6, 7, 8, 10, 17, 18 (<i>Columbina talpacoti</i>)
White Ibis 5, 6, 7, 16, 17, 18 (<i>Eudocimus albus</i>)	Gray-necked Wood-Rail 17, 18 (<i>Aramides cajanea</i>)	Blue Ground-Dove 7, 16, 18 (<i>Claravis pretiosa</i>)
Roseate Spoonbill 7 (<i>Ajaia ajaja</i>)	Purple Gallinule 9, 17 (<i>Porphyryula martinica</i>)	White-tipped Dove 5, 6, 7, 11, 14, 18 (<i>Leptotila verreauxi</i>)
Wood Stork 7 (<i>Mycteria americana</i>)	Sunbittern 8 (<i>Eurypyga helias</i>)	Gray-chested Dove 6, 8, 10, 17, 18 (<i>Leptotila cassini</i>)
Black Vulture 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 (<i>Coragyps atratus</i>)	Collared Plover 5 (<i>Charadrius collaris</i>)	Sulphur-winged Parakeet 12 (<i>Pyrrhura hoffmanni</i>)
Turkey Vulture 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 16, 17 (<i>Cathartes aura</i>)	Semipalmated Plover 7, 18 (<i>Charadrius semipalmatus</i>)	Crimson-fronted Parakeet 2, 8, 11 (<i>Aratinga finschi</i>)
King Vulture 6, 7, 18 (<i>Sarcoramphus papa</i>)	Black-necked Stilt 7 (<i>Himantopus mexicanus</i>)	Olive-throated Parakeet 10 (<i>Aratinga nana</i>)
Black-bellied Whistling-Duck 7 (<i>Dendrocygna autumnalis</i>)	Northern Jacana 5, 7, 9, 17, 18 (<i>Jacana spinosa</i>)	Great Green Macaw 8 (<i>Ara ambigu</i>)
Muscovy Duck 18 (<i>Cairina moschata</i>)	Greater Yellowlegs 7 (<i>Tringa melanoleuca</i>)	Scarlet Macaw 5, 6, 7, 16, 17, 18 (<i>Ara macao</i>)
Osprey 9 (<i>Pandion haliaetus</i>)	Solitary Sandpiper 7 (<i>Tringa solitaria</i>)	Orange-chinned Parakeet 5, 6, 7, 8, 9, 17, 18 (<i>Brotogeris jugularis</i>)
Swallow-tailed Kite 3, 10, 14, 15, 16, 17, 18 (<i>Elanoides forficatus</i>)	Willet 5 (<i>Catoptrophorus semipalmatus</i>)	Brown-hooded Parrot 2, 8, 11 (<i>Pionopsitta haematotis</i>)
Double-toothed Kite 12 (<i>Harpagus bidentatus</i>)	Spotted Sandpiper 5, 6, 7, 8, 17, 18 (<i>Actitis macularia</i>)	White-crowned Parrot 9, 10, 11, 12, 13, 18 (<i>Pionus senilis</i>)
Plumbeous Kite 5, 7 (<i>Ictinia plumbea</i>)	Whimbrel 5, 7 (<i>Numenius phaeopus</i>)	White-fronted Parrot 4L, 5, 6 (<i>Amazona albifrons</i>)
Bicolored Hawk 17 (<i>Accipiter bicolor</i>)	Ruddy Turnstone 18 (<i>Arenaria interpres</i>)	Red-lored Parrot 8, 9, 16, 17 (<i>Amazona autumnalis</i>)
Barred Hawk 12 (<i>Leucopternis princeps</i>)	Least Sandpiper 5, 7 (<i>Calidris minutilla</i>)	Mealy Parrot 6, 8, 9, 17 (<i>Amazona farinosa</i>)
White Hawk 17 (<i>Leucopternis albicollis</i>)	Laughing Gull 5, 7, 18 (<i>Larus atricilla</i>)	Yellow-billed Cuckoo 18 (<i>Coccyzus americanus</i>)

Squirrel Cuckoo 2, 4, 5H, 7, 9, 11, 17, 18 (<i>Piaya cayana</i>)	Canivet's Emerald 3 (<i>Chlorostilbon canivetii</i>)	Ringed Kingfisher 7, 8, 10, 16 (<i>Ceryle torquata</i>)
Striped Cuckoo 17, 18H (<i>Tapera naevia</i>)	Garden Emerald 10, 11, 12, 13 (<i>Chlorostilbon assimilis</i>)	Amazon Kingfisher 7, 9, 10, 16L (<i>Chloroceryle amazona</i>)
Smooth-billed Ani 16, 17, 18 (<i>Crotophaga ani</i>)	Violet-crowned Woodnymph 9, 10, 11, 12, 13 (<i>Thalaurania colombica</i>)	Green Kingfisher 5, 6, 16, 17 (<i>Chloroceryle americana</i>)
Groove-billed Ani 2, 4, 5, 6, 7, 8, 9, 10 (<i>Crotophaga sulcirostris</i>)	Fiery-throated Hummingbird 15 (<i>Panterpe insignis</i>)	American Pygmy Kingfisher 7 (<i>Chloroceryle aenea</i>)
Ferruginous Pygmy-Owl 1, 6 (<i>Glaucidium brasilianum</i>)	Blue-throated Goldentail 8, 10, 17 (<i>Hylocharis eliciae</i>)	White-necked Puffbird 6, 7 (<i>Notharchus macrorhynchos</i>)
Mottled Owl 12, 13 (<i>Ciccaba virgata</i>)	Charming Hummingbird 16, 17 (<i>Amazilia decora</i>)	White-whiskered Puffbird 6, 17 (<i>Malacoptila panamensis</i>)
Black-and-white Owl 8 (<i>Ciccaba nigrolineata</i>)	Rufous-tailed Hummingbird 1, 2, 5, 6, 7, 10, 11, 12, 13, 15, 16, 17 (<i>Amazilia tzacatl</i>)	Rufous-tailed Jacamar 7L, 10H, 17 (<i>Galbula ruficauda</i>)
Lesser Nighthawk 7 (<i>Chordeiles acutipennis</i>)	Stripe-tailed Hummingbird 2, 4, 8 (<i>Eupherusa eximia</i>)	Prong-billed Barbet 2, 4 (<i>Semnornis frantzii</i>)
Common Pauraque 6, 7 (<i>Nyctidromus albicollis</i>)	Coppery-headed Emerald 2 (<i>Elvira cupreiceps</i>)	Emerald Toucanet 2, 4, 14 (<i>Aulacorhynchus prasinus</i>)
Black Swift 17 (<i>Cypseloides niger</i>)	Snowcap 10, 11, 12, 13 (<i>Microchera albocoronata</i>)	Collared Aracari 9, 10, 13 (<i>Pteroglossus torquatus</i>)
White-collared Swift 6, 8, 12, 14 (<i>Streptoprocne zonaris</i>)	Bronze-tailed Plumeleteer 9 (<i>Chalybura urochrysis</i>)	Fiery-billed Aracari 5, 18 (<i>Pteroglossus frantzii</i>)
Vaux's Swift 2, 5, 6, 8 (<i>Chaetura vauxi</i>)	Purple-throated Mountain-gem 2, 8 (<i>Lampornis calolaema</i>)	Keel-billed Toucan 3, 4, 8, 9, 10, 11, 12, 13 (<i>Ramphastos sulfuratus</i>)
Band-rumped Swift 17 (<i>Chaetura spinicaudus</i>)	White-throated Mountain-gem 13, 14, 15 (<i>Lampornis castaneiventris</i>)	Chestnut-mandibled Toucan 5, 6, 7, 9, 10, 16H, 17, 18H (<i>Ramphastos swainsonii</i>)
Lesser Swallow-tailed Swift 14, 17 (<i>Panyptila cayennensis</i>)	Green-crowned Brilliant 2, 3, 4, 8, 10, 11, 12 (<i>Heliodoxa jacula</i>)	Acorn Woodpecker 13, 14, 15 (<i>Melanerpes formicivorus</i>)
Bronzy Hermit 18 (<i>Glaucis aenea</i>)	Magnificent Hummingbird 13, 14, 15 (<i>Eugenes fulgens</i>)	Golden-naped Woodpecker 17 (<i>Melanerpes chrysauchen</i>)
Band-tailed Barbthroat 10, 11, 16, 17, 18 (<i>Threnetes ruckeri</i>)	Purple-crowned Fairy 9, 10, 12 (<i>Heliothryx barroti</i>)	Black-cheeked Woodpecker 8, 9, 10, 12 (<i>Melanerpes pucherani</i>)
Green Hermit 4, 10, 11, 12 (<i>Phaethornis guy</i>)	Magenta-throated Woodstar 2 (<i>Calliphlox bryantae</i>)	Red-crowned Woodpecker 17, 18 (<i>Melanerpes rubricapillus</i>)
Long-tailed Hermit 8, 9, 16, 17, 18 (<i>Phaethornis superciliosus</i>)	Volcano Hummingbird 13, 14, 15 (<i>Selasphorus flammula</i>)	Hoffmann's Woodpecker 2, 4, 5, 6, 7, 8, 10, 11, 13, 15 (<i>Melanerpes hoffmannii</i>)
Little Hermit 5, 6, 7, 8, 9, 11, 12, 16, 17 (<i>Phaethornis longuemareus</i>)	Scintillant Hummingbird 13, 14, 15 (<i>Selasphorus scintilla</i>)	Hairy Woodpecker 14 (<i>Picoides villosus</i>)
Scaly-breasted Hummingbird 6, 7 (<i>Phaeochroa cuvierii</i>)	Baird's Trogon 6, 17, 18 (<i>Trogon bairdii</i>)	Red-rumped Woodpecker 18 (<i>Veniliornis kirkii</i>)
Violet Sabrewing 2, 3, 4, 8 (<i>Campylopterus hemileucurus</i>)	Violaceous Trogon 5, 9, 11, 12, 16, 17, 18 (<i>Trogon violaceus</i>)	Rufous-winged Woodpecker 12 (<i>Piculus simplex</i>)
White-necked Jacobin 10, 11, 12, 13, 17 (<i>Florisuga mellivora</i>)	Collared Trogon 11, 12 (<i>Trogon collaris</i>)	Lineated Woodpecker 4H, 5, 18 (<i>Dryocopus lineatus</i>)
Brown Violet-ear 8, 10, 11, 12, 13 (<i>Colibri delphinae</i>)	Black-throated Trogon 9 (<i>Trogon rufus</i>)	Pale-billed Woodpecker 6 (<i>Camppephilus guatemalensis</i>)
Green Violet-ear 2, 8, 13, 14, 15 (<i>Colibri thalassinus</i>)	Slaty-tailed Trogon 6, 7, 9 (<i>Trogon massena</i>)	Red-faced Spinetail 3 (<i>Cranioleuca erythrops</i>)
Green-breasted Mango 2, 10, 11, 12, 13 (<i>Anthracoceros prevostii</i>)	Resplendent Quetzal 2, 4, 13, 14, 15 (<i>Pharomachrus mocinno</i>)	Spotted Barbtail 3, 4 (<i>Premnoplex brunescens</i>)
Violet-headed Hummingbird 9, 10 (<i>Klais guimeti</i>)	Blue-crowned Motmot 2, 4, 6, 10, 15, 16, 17, 18 (<i>Momotus momota</i>)	Ruddy Treerunner 3, 4, 14 (<i>Margarornis rubiginosus</i>)
Black-crested Coquette 10 (<i>Lophornis helenae</i>)	Rufous Motmot 10H, 12 (<i>Baryphthengus martii</i>)	Buffy Tuftedcheek 14 (<i>Pseudocolaptes lawrencii</i>)
White-crested Coquette 17 (<i>Lophornis adorabilis</i>)	Broad-billed Motmot 10 (<i>Electron platyrhynchum</i>)	Lineated Foliage-gleaner 3 (<i>Syndactyla subalaris</i>)
Green Thorntail 8, 10, 12 (<i>Discosura conversii</i>)	Turquoise-browed Motmot 2, 5, 7 (<i>Eumomota superciliosa</i>)	Buff-throated Foliage-gleaner 6, 12, 17 (<i>Automolus ochrolaemus</i>)

Plain Xenops 6, 9, 11, 12, 16, 18 (<i>Xenops minutus</i>)	Mountain Elaenia 2, 13 (<i>Elaenia frantzii</i>)	Black-capped Flycatcher 13, 14 (<i>Empidonax atriceps</i>)
Tawny-throated Leaf-tosser 12 (<i>Sclerurus mexicanus</i>)	Torrent Tyrannulet 14 (<i>Serpophaga cinerea</i>)	Black Phoebe 13, 15 (<i>Sayornis nigricans</i>)
Tawny-winged Woodcreeper 7 (<i>Dendrocincla anabatina</i>)	Olive-striped Flycatcher 3, 4, 11 (<i>Mionectes olivaceus</i>)	Long-tailed Tyrant 9 (<i>Colonia colonus</i>)
Ruddy Woodcreeper 3 (<i>Dendrocincla homochroa</i>)	Ochre-bellied Flycatcher 5, 6, 9, 12, 16 (<i>Mionectes oleagineus</i>)	Bright-rumped Attila 7, 8H, 10, 11, 16H, 17 (<i>Attila spadiceus</i>)
Long-tailed Woodcreeper 18 (<i>Deconychura longicauda</i>)	Slaty-capped Flycatcher 11, 12 (<i>Leptopogon superciliosus</i>)	Dusky-capped Flycatcher 4, 6, 9, 12, 16, 17, 18 (<i>Myiarchus tuberculifer</i>)
Wedge-billed Woodcreeper 7, 8, 12 (<i>Glyphorhynchus spirurus</i>)	Paltry Tyrannulet 3, 9, 11, 12, 14, 16 (<i>Zimmerius vilissimus</i>)	Panama Flycatcher 7 (<i>Myiarchus panamensis</i>)
Northern Barred-Woodcreeper 6, 7, 8, 9 (<i>Dendrocolaptes sanctithomae</i>)	Black-capped Pygmy-Tyrant 10 (<i>Myiornis atricapillus</i>)	Nutting's Flycatcher 2 (<i>Myiarchus nuttingi</i>)
Cocoa Woodcreeper 6, 8, 9, 16, 17 (<i>Xiphorhynchus susurrans</i>)	Scale-crested Pygmy-Tyrant 11 (<i>Lophotriccus pileatus</i>)	Great Crested Flycatcher 5H, 6, 7, 8H (<i>Myiarchus crinitus</i>)
Black-striped Woodcreeper 9 (<i>Xiphorhynchus lachrymosus</i>)	Northern Bentbill 6 (<i>Oncostoma cinereigulare</i>)	Brown-crested Flycatcher 5 (<i>Myiarchus tyrannulus</i>)
Spotted Woodcreeper 3, 11 (<i>Xiphorhynchus erythropygius</i>)	Slate-headed Tody-Flycatcher 6 (<i>Poecilatriccus sylvia</i>)	Great Kiskadee 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 16, 17, 18 (<i>Pitangus sulphuratus</i>)
Streak-headed Woodcreeper 7, 10 (<i>Lepidocolaptes souleyetii</i>)	Common Tody-Flycatcher 5, 6, 7, 9, 16, 17 (<i>Todirostrum cinereum</i>)	Boat-billed Flycatcher 2, 3, 4, 5, 7, 8, 9, 11, 12, 13, 14, 16 (<i>Megarynchus pitangua</i>)
Spot-crowned Woodcreeper 14, 15 (<i>Lepidocolaptes affinis</i>)	Black-headed Tody-Flycatcher 5, 8 (<i>Todirostrum nigriceps</i>)	Social Flycatcher 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 17, 18 (<i>Myiozetetes similis</i>)
Fasciated Antshrike 9 (<i>Cymbilaimus lineatus</i>)	Eye-ringed Flatbill 4, 6 (<i>Rhynchocyclus brevirostris</i>)	Gray-capped Flycatcher 5, 6, 7, 8, 9, 12, 16, 17 (<i>Myiozetetes granadensis</i>)
Barred Antshrike 5 (<i>Thamnophilus doliaetus</i>)	Yellow-olive Flycatcher 6, 7H, 12, 16, 17 (<i>Tolmomyias sulphurescens</i>)	White-ringed Flycatcher 9L, 12, 16, 17 (<i>Conopias abovittata</i>)
Black-hooded Antshrike 6, 16 (<i>Thamnophilus bridgesi</i>)	Golden-crowned Spadebill 6, 17 (<i>Platyrinchus coronatus</i>)	Golden-bellied Flycatcher 4 (<i>Myiodynastes hemichrysus</i>)
Western Slaty-Antshrike 9 (<i>Thamnophilus atrinucha</i>)	Royal Flycatcher 6 (<i>Onychorhynchus coronatus</i>)	Streaked Flycatcher 5, 6, 17 (<i>Myiodynastes maculatus</i>)
Russet Antshrike 6 (<i>Thamnistes anabatinus</i>)	Ruddy-tailed Flycatcher 6 (<i>Terenotriccus erythrurus</i>)	Sulphur-bellied Flycatcher 2 (<i>Myiodynastes luteiventris</i>)
Plain Antvireo 11, 12 (<i>Dysithamnus mentalis</i>)	Sulphur-rumped Flycatcher 12, 18 (<i>Myiobius sulphureipygius</i>)	Piratic Flycatcher 4, 5H, 6, 7, 9, 10, 16, 17, 18 (<i>Legatus leucophaeus</i>)
Dot-winged Antwren 6, 17 (<i>Microrhophias quixensis</i>)	Black-tailed Flycatcher 6 (<i>Myiobius atricaudus</i>)	Tropical Kingbird 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 17, 18 (<i>Tyrannus melancholicus</i>)
Dusky Antbird 6, 12 (<i>Cercomacra tyrannina</i>)	Tawny-chested Flycatcher 11 (<i>Aphanotriccus capitalis</i>)	Eastern Kingbird 7, 9, 17 (<i>Tyrannus tyrannus</i>)
Chestnut-backed Antbird 6, 9H (<i>Myrmeciza exsul</i>)	Tufted Flycatcher 14, 15 (<i>Mitrephanes phaeocercus</i>)	Rufous Piha 6 (<i>Lipaugus unirufus</i>)
Black-faced Antthrush 6, 17 (<i>Formicarius analis</i>)	Olive-sided Flycatcher 13, 14 (<i>Contopus cooperi</i>)	Cinnamon Becard 6, 7, 9, 11, 12 (<i>Pachyramphus cinnamomeus</i>)
Streak-chested Antpitta 6 (<i>Hyllopezus perspicillatus</i>)	Dark Pewee 13, 15 (<i>Contopus lugubris</i>)	White-winged Becard 5, 8, 16, 17 (<i>Pachyramphus polychopterus</i>)
Brown-capped Tyrannulet 9 (<i>Ornithion brunneicapillum</i>)	Western Wood-Pewee 4 (<i>Contopus sordidulus</i>)	Rose-throated Becard 5 (<i>Pachyramphus aglaiae</i>)
Southern Beardless-Tyrannulet 5 (<i>Camptostoma obsoletum</i>)	Eastern Wood-Pewee 3, 13, 16L, 17 (<i>Contopus virens</i>)	Masked Tityra 4, 5, 9, 11, 12, 17, 18 (<i>Tityra semifasciata</i>)
Yellow Tyrannulet 17 (<i>Capsiempis flaveola</i>)	Tropical Pewee 12, 17 (<i>Contopus cinereus</i>)	Black-crowned Tityra 9, 11, 17, 18 (<i>Tityra inquisitor</i>)
Greenish Elaenia 5 (<i>Myiopagis viridicata</i>)	Yellow-bellied Flycatcher 16 (<i>Empidonax flaviventris</i>)	Turquoise Cotinga 17, 18 (<i>Cotinga ridgwayi</i>)
Yellow-bellied Elaenia 4, 9, 11, 12, 13, 16, 17, 18 (<i>Elaenia flavogaster</i>)	Acadian Flycatcher 6 (<i>Empidonax virescens</i>)	Yellow-billed Cotinga 18 (<i>Carpodectes antoniae</i>)
Lesser Elaenia 5 (<i>Elaenia chiriquensis</i>)	Yellowish Flycatcher 2, 15 (<i>Empidonax flavescens</i>)	Snowy Cotinga 9 (<i>Carpodectes nitidus</i>)

White-collared Manakin 9, 11, 12 (<i>Manacus candei</i>)	Rufous-and-white Wren 4 (<i>Thryothorus rufalbus</i>)	Chestnut-sided Warbler 6, 7, 8, 9, 11, 16, 17 (<i>Dendroica pensylvanica</i>)
Orange-collared Manakin 6, 7L, 16, 17, 18 (<i>Manacus aurtiaticus</i>)	Banded Wren 5 (<i>Thryothorus pleurostictus</i>)	Black-throated Green Warbler 3, 8 (<i>Dendroica virens</i>)
White-ruffed Manakin 12 (<i>Corapipo altera</i>)	Plain Wren 3 (<i>Thryothorus modestus</i>)	Townsend's Warbler 3, 13, 14, 15 (<i>Dendroica townsendi</i>)
Long-tailed Manakin 3 (<i>Chiroxiphia linearis</i>)	House Wren 1, 2, 4, 8, 12, 15, 16, 17, 18 (<i>Troglodytes aedon</i>)	Black-and-white Warbler 6 (<i>Mniotilta varia</i>)
White-crowned Manakin 11 (<i>Pipra pipra</i>)	Ochraceous Wren 3 (<i>Troglodytes ochraceus</i>)	American Redstart 7 (<i>Setophaga ruticilla</i>)
Blue-crowned Manakin 6 (<i>Pipra coronata</i>)	White-breasted Wood-Wren 9H, 12H, 13, 14 (<i>Henicorhina leucosticta</i>)	Ovenbird 3 (<i>Seiurus aurocapillus</i>)
Red-capped Manakin 6, 9H, 16, 17 (<i>Pipra mentalis</i>)	Gray-breasted Wood-Wren 2, 4, 15 (<i>Henicorhina leucophrys</i>)	Northern Waterthrush 5, 6, 7, 18 (<i>Seiurus noveboracensis</i>)
Yellow-throated Vireo 7, 8 (<i>Vireo flavifrons</i>)	American Dipper 13 (<i>Cinclus mexicanus</i>)	Louisiana Waterthrush 6 (<i>Seiurus motacilla</i>)
Yellow-winged Vireo 14, 15 (<i>Vireo carmioli</i>)	Long-billed Gnatwren 12 (<i>Ramphocanus melanurus</i>)	Kentucky Warbler 6 (<i>Oporornis formosus</i>)
Philadelphia Vireo 7 (<i>Vireo philadelphicus</i>)	White-lored Gnatcatcher 7 (<i>Polioptila albiloris</i>)	Mourning Warbler 12 (<i>Oporornis philadelphia</i>)
Yellow-green Vireo 5, 6, 7, 8, 12 (<i>Vireo flavoviridis</i>)	Tropical Gnatcatcher 6 (<i>Polioptila plumbea</i>)	Gray-crowned Yellowthroat 3, 4 (<i>Geothlypis poliocephala</i>)
Tawny-crowned Greenlet 6, 17 (<i>Hylophilus ochraceiceps</i>)	Black-faced Solitaire 1H, 3, 14 (<i>Myadestes melanops</i>)	Wilson's Warbler 2, 3, 4, 12, 13, 14, 15 (<i>Wilsonia pusilla</i>)
Lesser Greenlet 3, 4, 5, 6, 16 (<i>Hylophilus decurtatus</i>)	Black-billed Nightingale-Thrush 13, 15 (<i>Catharus gracilirostris</i>)	Slate-throated Redstart 2, 4, 11, 12, 13 (<i>Myioborus miniatus</i>)
Rufous-browed Peppershrike 7, 13 (<i>Cyclarhis gujanensis</i>)	Orange-billed Nightingale-Thrush 3 (<i>Catharus aurantiirostris</i>)	Collared Redstart 3, 13, 14 (<i>Myioborus torquatus</i>)
White-throated Magpie-Jay 2 (<i>Calocitta formosa</i>)	Slaty-backed Nightingale-Thrush 1H, 4 (<i>Catharus fuscater</i>)	Golden-crowned Warbler 11, 12 (<i>Basileuterus culicivorus</i>)
Brown Jay 2, 3, 4, 5, 8, 10, 11, 12, 13 (<i>Cyanocorax morio</i>)	Ruddy-capped Nightingale-Thrush 14 (<i>Catharus frantzii</i>)	Rufous-capped Warbler 4, 5, 7, 12 (<i>Basileuterus rufifrons</i>)
Gray-breasted Martin 3, 5, 9, 17 (<i>Progne chalybea</i>)	Black-headed Nightingale-Thrush 11H, 12, 13 (<i>Catharus mexicanus</i>)	Black-cheeked Warbler 14, 15 (<i>Basileuterus melanogenys</i>)
Mangrove Swallow 5, 7 (<i>Tachycineta albilinea</i>)	Swainson's Thrush 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 15, 16 (<i>Catharus ustulatus</i>)	Three-striped Warbler 3, 4 (<i>Basileuterus tristriatus</i>)
Blue-and-white Swallow 1, 2, 3, 4, 8, 13, 14, 15, 16 (<i>Pygochelidon cyanoleuca</i>)	Sooty Robin 13 (<i>Turdus nigrescens</i>)	Buff-rumped Warbler 8, 9H, 10 (<i>Phaeothlypis fulvicauda</i>)
Northern Rough-winged Swallow 5, 8 (<i>Stelgidopteryx serripennis</i>)	Mountain Robin 2, 3, 4, 13, 15 (<i>Turdus plebejus</i>)	Bananaquit 2, 3, 9, 10, 11, 12, 16, 17 (<i>Coereba flaveola</i>)
Southern Rough-winged Swallow 12, 13, 16, 17 (<i>Stelgidopteryx ruficollis</i>)	Clay-colored Robin 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15	Common Bush-Tanager 2, 3, 4 (<i>Chlorospingus ophthalmicus</i>)
Barn Swallow 5, 7, 9 (<i>Hirundo rustica</i>)	Gray Catbird 9, 11 (<i>Dumetella carolinensis</i>)	Sooty-capped Bush-Tanager 13, 14, 15 (<i>Chlorospingus pileatus</i>)
Band-backed Wren 9 (<i>Campylorhynchus zonatus</i>)	Black-and-yellow Silky-Flycatcher 13 (<i>Phainoptila melanoxantha</i>)	Olive Tanager 12, 13 (<i>Chlorothraupis carmioli</i>)
Rufous-naped Wren 5, 6, 7, 8 (<i>Campylorhynchus rufinucha</i>)	Long-tailed Silky-Flycatcher 13, 14, 15 (<i>Ptilogonys caudatus</i>)	Gray-headed Tanager 7 (<i>Eucometis penicillata</i>)
Black-throated Wren 9, 12 (<i>Thryothorus atrogularis</i>)	Golden-winged Warbler 11 (<i>Vermivora chrysoptera</i>)	White-shouldered Tanager 6, 16, 17, 18 (<i>Tachyphonus luctuosus</i>)
Bay Wren 9, 10 (<i>Thryothorus nigricapillus</i>)	Tennessee Warbler 1, 2, 3, 4, 5, 7, 9, 10 (<i>Vermivora peregrina</i>)	White-lined Tanager 9, 10, 11, 12 (<i>Tachyphonus rufus</i>)
Riverside Wren 6, 16, 17 (<i>Thryothorus semibadius</i>)	Flame-throated Warbler 13, 14 (<i>Parula gutturalis</i>)	Red-throated Ant-Tanager 8, 9H, 11 (<i>Habia fuscicauda</i>)
Stripe-breasted Wren 9, 11, 12 (<i>Thryothorus thoracicus</i>)	Tropical Parula 6, 11, 12 (<i>Parula pitiayumi</i>)	Black-cheeked Ant-Tanager 18 (<i>Habia atrimaxillaris</i>)
Rufous-breasted Wren 6 (<i>Thryothorus rutilus</i>)	Yellow Warbler 1, 2, 7, 18 (<i>Dendroica petechia</i>)	Summer Tanager 2, 11, 15 (<i>Piranga rubra</i>)

Scarlet Tanager 4, 5, 9, 15 (<i>Piranga olivacea</i>)	Yellow-bellied Seedeater 18 (<i>Sporophila nigricollis</i>)	Baltimore Oriole 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 15 (<i>Icterus galbula</i>)
Western Tanager 7 (<i>Piranga ludoviciana</i>)	Yellow-faced Grassquit 2, 3, 4, 5, 9, 10, 11, 12, 13, 14, 15 (<i>Tiaris olivacea</i>)	Yellow-billed Caticue 9 (<i>Amblycercus holosericeus</i>)
Flame-colored Tanager 13, 14, 15 (<i>Piranga bidentata</i>)	Slaty Finch 15 (<i>Haplospiza rustica</i>)	Scarlet-rumped Caticue 9 (<i>Cacicus uropygialis</i>)
Crimson-collared Tanager 8 (<i>Ramphocelus sanguinolentus</i>)	Peg-billed Finch 15 (<i>Acanthidops bairdii</i>)	Chestnut-headed Oropendola 12 (<i>Psarocolius wagleri</i>)
Passerini's Tanager 9, 10, 11, 12, 13 (<i>Ramphocelus passerinii</i>)	Slaty Flowerpiercer 8, 13, 15 (<i>Diglossa plumbea</i>)	Montezuma Oropendola 1, 8, 9, 10, 11, 13 (<i>Psarocolius montezuma</i>)
Cherrie's Tanager 5, 16, 17, 18 (<i>Ramphocelus costaricensis</i>)	Yellow-thighed Finch 14, 15 (<i>Pselliophorus tibialis</i>)	Yellow-bellied Siskin 13, 14 (<i>Carduelis xanthogastra</i>)
Blue-gray Tanager 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 16, 17, 18 (<i>Thraupis episcopus</i>)	Large-footed Finch 13, 14, 15 (<i>Pezopetes capitalis</i>)	Yellow-throated Brush-finch 2
Palm Tanager 5, 6, 7, 8, 9, 10, 11, 12, 13, 17, 18 (<i>Thraupis palmarum</i>)	Chestnut-capped Brush-Finch 3 (<i>Buarremon brunneinucha</i>)	Pink-billed Seedfinch 9
Yellow-crowned Euphonia 2, 4, 5, 6, 7, 9, 18 (<i>Euphonia luteicapilla</i>)	Orange-billed Sparrow 6, 8, 9, 17 (<i>Arremon aurantiirostris</i>)	
Yellow-throated Euphonia 2, 3, 4, 5 (<i>Euphonia hirundinacea</i>)	Olive Sparrow 5 (<i>Arremonops rufivirgatus</i>)	
Elegant Euphonia 3, 4 (<i>Euphonia elegantissima</i>)	Black-striped Sparrow 9, 10, 11H, 12, 16, 17 (<i>Arremonops conirostris</i>)	
Spot-crowned Euphonia 17, 18 (<i>Euphonia imitans</i>)	Prevost's Ground-Sparrow 16 (<i>Melospiza biarcuatum</i>)	
Olive-backed Euphonia 8, 9 (<i>Euphonia gouldi</i>)	White-eared Ground-Sparrow 1, 3, 4, 15 (<i>Melospiza leucotis</i>)	
Tawny-capped Euphonia 12 (<i>Euphonia annae</i>)	Stripe-headed Sparrow 2, 5 (<i>Aimophila ruficauda</i>)	
Golden-browed Chlorophonia 2, 3, 4, 14 (<i>Chlorophonia callophrys</i>)	Rufous-collared Sparrow 1, 2, 3, 4, 5, 8, 11, 12, 13, 14, 15, 16 (<i>Zonotrichia capensis</i>)	
Plain-colored Tanager 9 (<i>Tangara inornata</i>)	Volcano Junco 15 (<i>Junco vulcani</i>)	
Silver-throated Tanager 4, 8, 13, 14 (<i>Tangara icterocephala</i>)	Grayish Saltator 1, 2, 9 (<i>Saltator coerulescens</i>)	
Speckled Tanager 8 (<i>Tangara guttata</i>)	Buff-throated Saltator 6, 9, 11, 12, 16, 17 (<i>Saltator maximus</i>)	
Bay-headed Tanager 6, 8, 12, 16, 18 (<i>Tangara gyrola</i>)	Black-headed Saltator 11, 13 (<i>Saltator atriceps</i>)	
Golden-hooded Tanager 9, 11, 13 (<i>Tangara larvata</i>)	Black-faced Grosbeak 9 (<i>Caryothraustes poliogaster</i>)	
Spangle-cheeked Tanager 4, 13, 15 (<i>Tangara dowii</i>)	Rose-breasted Grosbeak 8, 9 (<i>Pheucticus ludovicianus</i>)	
Scarlet-thighed Dacnis 12 (<i>Dacnis venusta</i>)	Red-winged Blackbird 7, 10 (<i>Agelaius phoeniceus</i>)	
Blue Dacnis 7, 9, 18 (<i>Dacnis cayana</i>)	Red-breasted Blackbird 18 (<i>Sturnella militaris</i>)	
Green Honeycreeper 9, 11, 12 (<i>Chlorophanes spiza</i>)	Eastern Meadowlark 2 (<i>Sturnella magna</i>)	
Shining Honeycreeper 6, 9 (<i>Cyanerpes lucidus</i>)	Melodious Blackbird 1, 12L (<i>Dives dives</i>)	
Red-legged Honeycreeper 5L, 7, 16, 17 (<i>Cyanerpes cyaneus</i>)	Great-tailed Grackle 1, 2, 3, 4, 7, 8, 10, 13, 15, 16, 18 (<i>Quiscalus mexicanus</i>)	
Blue-black Grassquit 5, 7, 16, 18 (<i>Volatinia jacarina</i>)	Bronzed Cowbird 1, 4, 5, 10, 11, 13 (<i>Molothrus aeneus</i>)	
Variable Seedeater 5, 9, 10, 12, 17, 18 (<i>Sporophila americana</i>)	Giant Cowbird 18 (<i>Molothrus oryzivorus</i>)	
White-collared Seedeater 18 (<i>Sporophila torquicola</i>)	Black-cowled Oriole 9 (<i>Icterus prothemelas</i>)	