

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|-------------------------------|----------------------------------|-----------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Great Tinamou | <i>Tinamus major</i> | Near-threatened | | | | | | | | | | H | H | | H | X | | 1 | 3 | 4 |
| Cinereous Tinamou | <i>Crypturellus cinereus</i> | | | | | | | | | | | | | H | H | H | | 0 | 3 | 3 |
| Undulated Tinamou | <i>Crypturellus undulatus</i> | | | | | | | | | | | | H | | | H | | 0 | 2 | 2 |
| Torrent Duck | <i>Merganetta armata</i> | | | | | | | X | X | | | | | | | | | 2 | 0 | 2 |
| Andean Teal | <i>Anas andium</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Yellow-billed Pintail | <i>Anas georgica</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Andean Duck | <i>Oxyura ferruginea</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Speckled Chachalaca | <i>Ortalis guttata</i> | | | | | | | | | | | | | X | X | | | 2 | 0 | 2 |
| Andean Guan | <i>Penelope montagnii</i> | | | X | | | | | | X | | | | | | | | 2 | 0 | 2 |
| Spix's Guan | <i>Penelope jacquacu</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Blue-throated Piping Guan | <i>Pipile cumanensis</i> | Vulnerable | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Wattled Guan | <i>Aburria aburri</i> | Near-threatened | | | | H | | | | | | | | | | | | 0 | 1 | 1 |
| Marbled Wood Quail | <i>Odontophorus gujanensis</i> | Near-threatened | | | | | | | | | | | | | | H | | 0 | 1 | 1 |
| Dark-backed Wood Quail | <i>Odontophorus melanonotus</i> | Vulnerable | | | | | H | | | | | | | | | | | 0 | 1 | 1 |
| Silvery Grebe/Added | <i>Podiceps occipitalis</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Andean Ibis | <i>Theristicus branickii</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Rufescent Tiger Heron | <i>Tigrisoma lineatum</i> | | | | | | | | | | | | | | X | | X | 2 | 0 | 2 |
| Boat-billed Heron | <i>Cochlearius cochlearius</i> | | | | | | | | | | | | | X | X | X | | 3 | 0 | 3 |
| Zigzag Heron | <i>Zebrilus undulatus</i> | Near-threatened | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Least Bittern | <i>Ixobrychus exilis</i> | | | | | | | | | | | | | H | | | | 0 | 1 | 1 |
| Striated Heron | <i>Butorides striata</i> | | | | | | | | | | | | | X | X | X | | 3 | 0 | 3 |
| Western Cattle Egret | <i>Bubulcus ibis</i> | | | | X | X | X | | | | | | | | | X | | 4 | 0 | 4 |
| Cocoi Heron | <i>Ardea cocoi</i> | | | | | | | | | | | | | | X | X | X | 3 | 0 | 3 |
| Great Egret | <i>Ardea alba</i> | | | | | X | | | | | | | X | | X | X | X | 5 | 0 | 5 |
| Capped Heron | <i>Pilherodius pileatus</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Little Blue Heron | <i>Egretta caerulea</i> | | | | | | | | | | | | | X | X | X | | 3 | 0 | 3 |
| Neotropic Cormorant | <i>Phalacrocorax brasilianus</i> | | | | | | X | | | | | | | | X | | | 2 | 0 | 2 |
| Turkey Vulture | <i>Cathartes aura</i> | | | | X | X | X | | | | X | X | X | X | X | X | | 9 | 0 | 9 |
| Greater Yellow-headed Vulture | <i>Cathartes melambrotus</i> | | | | | | | | | | | X | | X | X | X | | 4 | 0 | 4 |
| Black Vulture | <i>Coragyps atratus</i> | | | X | X | X | X | X | | | X | X | X | X | X | X | | 11 | 0 | 11 |
| King Vulture | <i>Sarcoramphus papa</i> | | | | | | | | | | | | | X | X | X | | 3 | 0 | 3 |
| Andean Condor | <i>Vultur gryphus</i> | Near-threatened | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Western Osprey | <i>Pandion haliaetus</i> | | | | | | | | | | | | | X | X | | | 2 | 0 | 2 |
| Grey-headed Kite | <i>Leptodon cayanensis</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Swallow-tailed Kite | <i>Elanoides forficatus</i> | | | | | | | | | | X | X | X | | X | X | | 5 | 0 | 5 |
| Black Hawk-Eagle | <i>Spizaetus tyrannus</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Black-and-white Hawk-Eagle | <i>Spizaetus melanoleucus</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Double-toothed Kite | <i>Harpagus bidentatus</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Tiny Hawk | <i>Accipiter superciliosus</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|-----------------------------|---------------------------------|--------------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Plain-breasted Hawk | <i>Accipiter ventralis</i> | | | X | | | X | | | | | | | | | | | 2 | 0 | 2 |
| Bicolored Hawk | <i>Accipiter bicolor</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Plumbeous Kite | <i>Ictinia plumbea</i> | | | | | | | | | | | | X | | X | | | 2 | 0 | 2 |
| Slender-billed Kite | <i>Helicolestes hamatus</i> | | | | | | | | | | | | X | | | | | 1 | 0 | 1 |
| Slate-colored Hawk | <i>Buteogallus schistaceus</i> | | | | | | | | | | | | | X | | X | | 2 | 0 | 2 |
| Montane Solitary Eagle | <i>Buteogallus solitarius</i> | Near-threatened | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Barred Hawk | <i>Morphnarchus princeps</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| Roadside Hawk | <i>Rupornis magnirostris</i> | | | | | X | X | | X | X | X | X | X | X | X | X | | 10 | 0 | 10 |
| White-rumped Hawk | <i>Parabuteo leucorrhous</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| Variable Hawk | <i>Geranoaetus polyosoma</i> | | | X | | | | X | | | | | | | | | | 2 | 0 | 2 |
| Black-chested Buzzard-Eagle | <i>Geranoaetus melanoleucus</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| White Hawk | <i>Pseudastur albicollis</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Sungrebe | <i>Heliornis fulica</i> | | | | | | | | | | | | | | X | | X | 2 | 0 | 2 |
| Andean Coot | <i>Fulica ardesiaca</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Limpkin | <i>Aramus guarana</i> | | | | | | | | | | | | | X | X | X | X | 4 | 0 | 4 |
| Southern Lapwing | <i>Vanellus chilensis</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Andean Lapwing | <i>Vanellus resplendens</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Collared Plover | <i>Charadrius collaris</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Spotted Sandpiper | <i>Actitis macularius</i> | | | | | | X | | | | | | X | | X | | | 3 | 0 | 3 |
| Andean Gull | <i>Chroicocephalus serranus</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Yellow-billed Tern | <i>Sternula supercilialis</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Large-billed Tern | <i>Phaetusa simplex</i> | | | | | | | | | | | | | | X | | X | 2 | 0 | 2 |
| Rock Dove | <i>Columba livia</i> | Introduced species | | | | | | X | | | | | X | | | | | 2 | 0 | 2 |
| Band-tailed Pigeon | <i>Patagioenas fasciata</i> | | | | X | | | X | X | X | | | | | | | | 4 | 0 | 4 |
| Pale-vented Pigeon | <i>Patagioenas cayennensis</i> | | | | | | | | | | | | X | X | X | X | | 4 | 0 | 4 |
| Plumbeous Pigeon | <i>Patagioenas plumbea</i> | | | | H | | | | | | | X | H | | | X | | 2 | 2 | 4 |
| Ruddy Pigeon | <i>Patagioenas subvinacea</i> | Vulnerable | | | | | | | | | X | | | | | H | | 1 | 1 | 2 |
| Eared Dove | <i>Zenaida auriculata</i> | | | X | | | | X | | | | | | | | | X | 3 | 0 | 3 |
| Ruddy Ground Dove | <i>Columbina talpacoti</i> | | | | | | | | | | | | X | | | | | 1 | 0 | 1 |
| Black-winged Ground Dove | <i>Metriopelia melanoptera</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| White-tipped Dove | <i>Leptotila verreauxi</i> | | | | X | X | | X | | | | | | | | | | 3 | 0 | 3 |
| Grey-fronted Dove | <i>Leptotila rufaxilla</i> | | | | | | | | | | | | | | H | | | 0 | 1 | 1 |
| Hoatzin | <i>Opisthocomus hoazin</i> | | | | | | | | | | | | X | X | X | X | X | 5 | 0 | 5 |
| Greater Ani | <i>Crotophaga major</i> | | | | | | | | | | | | X | X | X | X | X | 5 | 0 | 5 |
| Smooth-billed Ani | <i>Crotophaga ani</i> | | | | | | X | | | | X | X | X | | X | X | | 6 | 0 | 6 |
| Squirrel Cuckoo | <i>Piaya cayana</i> | | | | X | | | | | | | X | X | H | | H | | 3 | 2 | 5 |
| Tropical Screech Owl | <i>Megascops choliba</i> | | | | | | | | | | | | | | | H | | 0 | 1 | 1 |
| Colombian Screech Owl | <i>Megascops colombianus</i> | Near-threatened | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Tawny-bellied Screech Owl | <i>Megascops watsonii</i> | | | | | | | | | | | | | H | H | H | | 0 | 3 | 3 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|----------------------------|-------------------------------------|-----------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| White-throated Screech Owl | <i>Megascops albogularis</i> | | | | | | | | | H | | | | | | | | 0 | 1 | 1 |
| San Isidro Owl | ??? | | | | | | | | X | X | | | | | | | | 2 | 0 | 2 |
| Black-banded Owl | <i>Strix huhula</i> | | | | | | | | | | | | | | | H | | 0 | 1 | 1 |
| Spectacled Owl | <i>Pulsatrix perspicillata</i> | | | | | | | | | | | | | | H | | | 0 | 1 | 1 |
| Band-bellied Owl | <i>Pulsatrix melanota</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Andean Pygmy Owl | <i>Glaucidium jardiini</i> | | | H | | | | | | | | | | | | | | 0 | 1 | 1 |
| Cloud-forest Pygmy Owl | <i>Glaucidium nubicola</i> | Vulnerable | | H | | X | | | | | | | | | | | | 1 | 1 | 2 |
| Ferruginous Pygmy Owl | <i>Glaucidium brasilianum</i> | | | | | | | | | | | | | | H | | | 0 | 1 | 1 |
| Oilbird | <i>Steatornis caripensis</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Great Potoo | <i>Nyctibius grandis</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Common Potoo | <i>Nyctibius griseus</i> | | | X | | X | | | | | | | | | | X | | 3 | 0 | 3 |
| Rufous-bellied Nighthawk | <i>Lurocalis rufiventris</i> | | | | | X | | X | | | | | | | | | | 2 | 0 | 2 |
| Pauraque | <i>Nyctidromus albicollis</i> | | | | | H | | | | | | | X | | X | X | H | 3 | 2 | 5 |
| Swallow-tailed Nightjar | <i>Uropsalis segmentata</i> | | | | | | | | | H | | | | | | | | 0 | 1 | 1 |
| Lyre-tailed Nightjar | <i>Uropsalis lyra</i> | | | | | X | | | | | X | | | | | | | 2 | 0 | 2 |
| Ladder-tailed Nightjar | <i>Hydropsalis climacocerca</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Spot-fronted Swift | <i>Cypseloides cherriei</i> | Data deficient | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| White-chinned Swift | <i>Cypseloides cryptus</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| White-chested Swift | <i>Cypseloides lemosi</i> | Rare/Accidental | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Chestnut-collared Swift | <i>Streptoprocne rutila</i> | | | | | | | | | X | | X | | | | | | 2 | 0 | 2 |
| White-collared Swift | <i>Streptoprocne zonaris</i> | | | | X | | X | | | | | | | | | X | | 3 | 0 | 3 |
| Grey-rumped Swift | <i>Chaetura cinereiventris</i> | | | | | X | | | X | X | | | | | | | | 3 | 0 | 3 |
| Short-tailed Swift | <i>Chaetura brachyura</i> | | | | | | | | | | | | X | X | X | X | | 4 | 0 | 4 |
| Neotropical Palm Swift | <i>Tachornis squamata</i> | | | | | | | | | | | | | X | | X | | 2 | 0 | 2 |
| White-tipped Sicklebill | <i>Eutoxeres aquila</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Rufous-breasted Hermit | <i>Glaucis hirsutus</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| White-whiskered Hermit | <i>Phaethornis yaruqui</i> | | | | X | X | X | | | | | | | | | | | 3 | 0 | 3 |
| Green Hermit | <i>Phaethornis guy</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Great-billed Hermit | <i>Phaethornis malaris</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Tawny-bellied Hermit | <i>Phaethornis syrmatophorus</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Grey-chinned Hermit | <i>Phaethornis griseogularis</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Green-fronted Lancebill | <i>Doryfera ludovicae</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Blue-fronted Lancebill | <i>Doryfera johannae</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Napo Sabrewing | <i>Campylopterus villaviscensio</i> | Near-threatened | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| White-necked Jacobin | <i>Florisuga mellivora</i> | | | | X | X | | | | | | | | | | | | 2 | 0 | 2 |
| Brown Violetear | <i>Colibri delphinae</i> | | | | X | X | X | | | | X | X | | | | | | 5 | 0 | 5 |
| Green Violetear | <i>Colibri thalassinus</i> | | | | X | X | | | | X | | | | | | | | 3 | 0 | 3 |
| Sparkling Violetear | <i>Colibri coruscans</i> | | | X | X | X | | | | X | X | X | | | | | X | 7 | 0 | 7 |
| Violet-headed Hummingbird | <i>Klais guimeti</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|---------------------------|-----------------------------------|-----------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Wire-crested Thorntail | <i>Discosura popelairii</i> | Near-threatened | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Green Thorntail | <i>Discosura conversii</i> | | | | | X | X | | | | | | | | | | | 2 | 0 | 2 |
| Blue-tailed Emerald | <i>Chlorostilbon mellisugus</i> | | | | | | | | | | | | X | X | | X | | 3 | 0 | 3 |
| Crowned Woodnymph | <i>Thalurania colombica</i> | | | | X | X | | | | | | | X | | | | | 3 | 0 | 3 |
| Fork-tailed Woodnymph | <i>Thalurania furcata</i> | | | | | | | | | | X | X | X | | | | | 3 | 0 | 3 |
| Golden-tailed Sapphire | <i>Chrysuronia oenone</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Many-spotted Hummingbird | <i>Taphrospilus hypostictus</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Rufous-tailed Hummingbird | <i>Amazilia tzacatl</i> | | | | X | X | X | | | | | | | | | | | 3 | 0 | 3 |
| Andean Emerald | <i>Amazilia franciae</i> | | | | X | X | X | | | | | | | | | | | 3 | 0 | 3 |
| Speckled Hummingbird | <i>Adelomyia melanogenys</i> | | | | X | X | | X | X | X | | X | | | | | | 6 | 0 | 6 |
| Ecuadorian Piedtail | <i>Phlogophilus hemileucurus</i> | Vulnerable | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Black-throated Brilliant | <i>Heliodoxa schreibersii</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Gould's Jewelfront | <i>Heliodoxa aurescens</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Fawn-breasted Brilliant | <i>Heliodoxa rubinoides</i> | | | | X | X | | | X | X | | | | | | | | 4 | 0 | 4 |
| Green-crowned Brilliant | <i>Heliodoxa jacula</i> | | | | X | X | | | | | | | | | | | | 2 | 0 | 2 |
| Empress Brilliant | <i>Heliodoxa imperatrix</i> | | | | | X | X | | | | | | | | | | | 2 | 0 | 2 |
| Violet-fronted Brilliant | <i>Heliodoxa leadbeateri</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Buff-tailed Coronet | <i>Boissonneaua flavescens</i> | | | | X | X | | X | | X | | | | | | | | 4 | 0 | 4 |
| Chestnut-breasted Coronet | <i>Boissonneaua matthewsii</i> | | | | | | | X | X | | | | | | | | | 2 | 0 | 2 |
| Velvet-purple Coronet | <i>Boissonneaua jardini</i> | | | | | X | X | | | | | | | | | | | 2 | 0 | 2 |
| Shining Sunbeam | <i>Aglaeactis cupripennis</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Ecuadorian Hillstar | <i>Oreotrochilus chimborazo</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Mountain Velvetbreast | <i>Lafresnaya lafresnayi</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Bronzy Inca | <i>Coeligena coeligena</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Brown Inca | <i>Coeligena wilsoni</i> | | | | X | X | X | | | | | | | | | | | 3 | 0 | 3 |
| Collared Inca | <i>Coeligena torquata</i> | | | | X | | | X | X | X | X | | | | | | | 5 | 0 | 5 |
| Buff-winged Starfrontlet | <i>Coeligena lutetiae</i> | | | X | | | | X | X | X | | | | | | | | 4 | 0 | 4 |
| Sword-billed Hummingbird | <i>Ensifera ensifera</i> | | | X | | | | X | X | | | | | | | | | 3 | 0 | 3 |
| Great Sapphirewing | <i>Pterophanes cyanopterus</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Gorgeted Sunangel | <i>Helianthus strophianus</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| Tourmaline Sunangel | <i>Helianthus exortis</i> | | | | | | | X | X | | | | | | | | | 2 | 0 | 2 |
| Glowing Puffleg | <i>Eriocnemis vestita</i> | | | | | | | X | X | | | | | | | | | 2 | 0 | 2 |
| Sapphire-vented Puffleg | <i>Eriocnemis luciani</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Golden-breasted Puffleg | <i>Eriocnemis mosquera</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Purple-bibbed Whitetip | <i>Urostitte benjamini</i> | | | | | X | X | | | | | | | | | | | 2 | 0 | 2 |
| Rufous-vented Whitetip | <i>Urostitte ruficrissa</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Booted Racket-tail | <i>Ocreatus underwoodii</i> | | | | X | X | X | | | | X | X | | | | | | 5 | 0 | 5 |
| Black-tailed Trainbearer | <i>Lesbia victoriae</i> | | | | | | | | | | | | | | | | X | 1 | 0 | 1 |
| Purple-backed Thornbill | <i>Ramphomicron microrhynchum</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|-----------------------------|------------------------------------|-----------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Tyrian Metaltail | <i>Metallura tyrianthina</i> | | | X | | | | X | X | | | | | | | | X | 4 | 0 | 4 |
| Blue-mantled Thornbill | <i>Chalcostigma stanleyi</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Long-tailed Sylph | <i>Aglaiocercus kingii</i> | | | | | | | X | X | X | X | | | | | | | 4 | 0 | 4 |
| Violet-tailed Sylph | <i>Aglaiocercus coelestis</i> | | | | X | X | X | | | | | | | | | | | 3 | 0 | 3 |
| Purple-throated Woodstar | <i>Calliphlox mitchellii</i> | | | | X | X | | | | | | | | | | | X | 3 | 0 | 3 |
| White-bellied Woodstar | <i>Chaetocercus mulsant</i> | | | | | | | X | X | | | | | | | | X | 3 | 0 | 3 |
| Gorgeted Woodstar | <i>Chaetocercus heliodor</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Golden-headed Quetzal | <i>Pharomachrus auriceps</i> | | | | X | H | X | | | | | | | | | | | 2 | 1 | 3 |
| Crested Quetzal | <i>Pharomachrus antisianus</i> | | | | | | | | | H | | | | | | | | 0 | 1 | 1 |
| Black-tailed Trogon | <i>Trogon melanurus</i> | | | | | | | | | | | | X | | H | H | | 1 | 2 | 3 |
| White-tailed Trogon | <i>Trogon chionurus</i> | | | | | | | | | | | | | X | | H | | 1 | 1 | 2 |
| Amazonian Trogon | <i>Trogon ramonianus</i> | | | | | | | | | | | | H | | | H | | 0 | 2 | 2 |
| Collared Trogon | <i>Trogon collaris</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Masked Trogon | <i>Trogon personatus</i> | | | | | | | | X | X | | | | | | | | 2 | 0 | 2 |
| American Pygmy Kingfisher | <i>Chloroceryle aenea</i> | | | | | | | | | | | | X | X | X | X | X | 5 | 0 | 5 |
| Green-and-rufous Kingfisher | <i>Chloroceryle inda</i> | | | | | | | | | | | | X | X | X | X | X | 5 | 0 | 5 |
| Amazon Kingfisher | <i>Chloroceryle amazona</i> | | | | | | | | | | | | | | X | X | X | 3 | 0 | 3 |
| Ringed Kingfisher | <i>Megaceryle torquata</i> | | | | | X | | | | | | | X | X | X | X | X | 6 | 0 | 6 |
| Amazonian Motmot | <i>Momotus momota</i> | | | | | | | | | | | | H | X | | H | | 1 | 2 | 3 |
| Andean Motmot | <i>Momotus aequatorialis</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Rufous Motmot | <i>Baryphthengus martii</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Broad-billed Motmot | <i>Electron platyrhynchum</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Coppery-chested Jacamar | <i>Galbula pastazae</i> | Vulnerable | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| White-chinned Jacamar | <i>Galbula tombacea</i> | | | | | | | | | | | | | X | X | | | 2 | 0 | 2 |
| White-necked Puffbird | <i>Notharchus hyperrhynchus</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Collared Puffbird | <i>Bucco capensis</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Striolated Puffbird | <i>Nystalus striolatus</i> | | | | | | | | | | H | | | | | | | 0 | 1 | 1 |
| Black-streaked Puffbird | <i>Malacoptila fulvogularis</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Brown Nunlet | <i>Nonnula brunnea</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Black-fronted Nunbird | <i>Monasa nigrifrons</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| White-fronted Nunbird | <i>Monasa morphoeus</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Swallow-winged Puffbird | <i>Chelidoptera tenebrosa</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Scarlet-crowned Barbet | <i>Capito aurovirens</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Gilded Barbet | <i>Capito auratus</i> | | | | | | | | | | X | X | H | X | X | X | | 5 | 1 | 6 |
| Lemon-throated Barbet | <i>Eubucco richardsoni</i> | | | | | | | | | | | | | | H | | | 0 | 1 | 1 |
| Red-headed Barbet | <i>Eubucco bourcierii</i> | | | X | X | | | | | | X | X | | | | | | 4 | 0 | 4 |
| Toucan Barbet | <i>Semnornis ramphastinus</i> | Near-threatened | | H | H | | | | | | | | | | | | | 0 | 2 | 2 |
| White-throated Toucanet | <i>Aulacorhynchus albivitta</i> | | | | | | | | | X | | | | H | | X | | 2 | 1 | 3 |
| Crimson-rumped Toucanet | <i>Aulacorhynchus haematopygus</i> | | | | X | | X | | | | | | | | | | | 2 | 0 | 2 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|------------------------------|-----------------------------------|-----------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Lettered Aracari | <i>Pteroglossus incriptus</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Ivory-billed Aracari | <i>Pteroglossus azara</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Chestnut-eared Aracari | <i>Pteroglossus castanotis</i> | | | | | | | | | | X | X | | | X | X | | 4 | 0 | 4 |
| Many-banded Aracari | <i>Pteroglossus pluricinctus</i> | | | | | | | | | | | X | X | | X | X | X | 5 | 0 | 5 |
| Pale-mandibled Aracari | <i>Pteroglossus erythropygius</i> | Endemic | | | X | X | | | | | | | | | | | | 2 | 0 | 2 |
| Plate-billed Mountain Toucan | <i>Andigena laminirostris</i> | Near-threatened | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| Channel-billed Toucan | <i>Ramphastos vitellinus</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Choco Toucan | <i>Ramphastos brevis</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| White-throated Toucan | <i>Ramphastos tucanus</i> | | | | | | | | | | | | H | | | X | | 1 | 1 | 2 |
| Black-mandibled Toucan | <i>Ramphastos ambiguus</i> | | | | | | | | | | | | X | | | | | 1 | 0 | 1 |
| Lafresnaye's Piculet | <i>Picumnus lafresnayi</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Rufous-breasted Piculet | <i>Picumnus rufiventris</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Yellow-tufted Woodpecker | <i>Melanerpes cruentatus</i> | | | | | | | | | | | X | X | | | | | 2 | 0 | 2 |
| Yellow-vented Woodpecker | <i>Veniliornis dignus</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Bar-bellied Woodpecker | <i>Veniliornis nigriceps</i> | | | H | | | | | | | | | | | | | | 0 | 1 | 1 |
| Golden-olive Woodpecker | <i>Colaptes rubiginosus</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Crimson-mantled Woodpecker | <i>Colaptes rivolii</i> | | | H | X | | | | | | | | | | | | | 1 | 1 | 2 |
| Spot-breasted Woodpecker | <i>Colaptes punctigula</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Cream-colored Woodpecker | <i>Celeus flavus</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Lineated Woodpecker | <i>Dryocopus lineatus</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Crimson-crested Woodpecker | <i>Campephilus melanoleucos</i> | | | | | | | | | | | | X | | | X | | 2 | 0 | 2 |
| Black Caracara | <i>Daptrius ater</i> | | | | | | | | | | X | X | H | X | X | | | 4 | 1 | 5 |
| Red-throated Caracara | <i>Ibycter americanus</i> | | | | | | | | | | | | | | | H | | 0 | 1 | 1 |
| Carunculated Caracara | <i>Phalcoboenus carunculatus</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Yellow-headed Caracara | <i>Milvago chimachima</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Lined Forest Falcon | <i>Micrastur gilvicollis</i> | | | | | | | | | | | H | | | | | | 0 | 1 | 1 |
| Collared Forest Falcon | <i>Micrastur semitorquatus</i> | | | | | | | | | X | | H | | | | | | 1 | 1 | 2 |
| Buckley's Forest Falcon | <i>Micrastur buckleyi</i> | | | | | | | | | | | H | | | | | | 0 | 1 | 1 |
| American Kestrel | <i>Falco sparverius</i> | | | X | | | | X | | | | | | | | | | 2 | 0 | 2 |
| Aplomado Falcon | <i>Falco femoralis</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Bat Falcon | <i>Falco rufigularis</i> | | | | | | | | | | | | X | | | | | 1 | 0 | 1 |
| Blue-and-yellow Macaw | <i>Ara ararauna</i> | | | | | | | | | | | | | | X | | X | 2 | 0 | 2 |
| Military Macaw | <i>Ara militaris</i> | Vulnerable | | | | | | | | | | | X | | | | | 1 | 0 | 1 |
| Scarlet Macaw | <i>Ara macao</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Chestnut-fronted Macaw | <i>Ara severus</i> | | | | | | | | | | X | H | X | | X | X | | 4 | 1 | 5 |
| Red-bellied Macaw | <i>Orthopsittaca manilatus</i> | | | | | | | | | | | | X | X | X | X | X | 5 | 0 | 5 |
| Dusky-headed Parakeet | <i>Aratinga weddellii</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Maroon-tailed Parakeet | <i>Pyrrhura melanura</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Cobalt-winged Parakeet | <i>Brotogeris cyanopectera</i> | | | | | | | | | | | | X | X | X | X | X | 5 | 0 | 5 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|--------------------------------|--------------------------------------|-----------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Scarlet-shouldered Parrotlet | <i>Touit huetii</i> | Vulnerable | | | | | | | | | | | | | H | | | 0 | 1 | 1 |
| Black-headed Parrot | <i>Pionites melanocephalus</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Blue-headed Parrot | <i>Pionus menstruus</i> | | | | | | | | | | X | | X | | | | | 2 | 0 | 2 |
| Red-billed Parrot | <i>Pionus sordidus</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| White-capped Parrot | <i>Pionus seniloides</i> | | | | | | | | H | X | | | | | | | | 1 | 1 | 2 |
| Bronze-winged Parrot | <i>Pionus chalcopertus</i> | | | | | X | X | | | | | | | | | | | 2 | 0 | 2 |
| Yellow-crowned Amazon | <i>Amazona ochrocephala</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Orange-winged Amazon | <i>Amazona amazonica</i> | | | | | | | | | | | | | | | X | X | 2 | 0 | 2 |
| Mealy Amazon | <i>Amazona farinosa</i> | | | | | | | | | | | | | | X | X | X | 3 | 0 | 3 |
| Chestnut-winged Cinclodes | <i>Cinclodes albidiventris</i> | | | | | | | X | X | | | | | | | | | 2 | 0 | 2 |
| Stout-billed Cinclodes | <i>Cinclodes excelsior</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Lesser Hornero | <i>Furnarius minor</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Pacific Hornero | <i>Furnarius cinnamomeus</i> | | | | H | | X | | | | | | | | | | | 1 | 1 | 2 |
| Andean Tit-Spinetail | <i>Leptasthenura andicola</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| White-chinned Thistletail | <i>Asthenes fuliginosa</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| Many-striped Canastero | <i>Asthenes flammulata</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Rufous Spinetail | <i>Synallaxis unirufa</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| Azara's Spinetail | <i>Synallaxis azarae</i> | | | H | H | | | | | H | H | | | | | | | 0 | 4 | 4 |
| Dark-breasted Spinetail | <i>Synallaxis albigularis</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Slaty Spinetail | <i>Synallaxis brachyura</i> | | | | H | X | | | | | | | | | | | | 1 | 1 | 2 |
| White-bellied Spinetail | <i>Synallaxis propinqua</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Dusky Spinetail | <i>Synallaxis moesta</i> | Near-threatened | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| White-browed Spinetail | <i>Hellmayrea gularis</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Red-faced Spinetail | <i>Cranioleuca erythropis</i> | | | | X | X | | | | | | | | | | | | 2 | 0 | 2 |
| Ash-browed Spinetail | <i>Cranioleuca curtata</i> | Vulnerable | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Rusty-winged Barbtail | <i>Premnornis guttuliger</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Spotted Barbtail | <i>Premnoplex brunnescens</i> | | | | | | | | | | H | | | | | | | 0 | 1 | 1 |
| Pearled Treerunner | <i>Margarornis squamiger</i> | | | | X | | | X | X | X | X | | | | | | | 5 | 0 | 5 |
| Streaked Tuftedcheek | <i>Pseudocolaptes boissonneautii</i> | | | | X | | | | | X | | | | | | | | 2 | 0 | 2 |
| Scaly-throated Foliage-gleaner | <i>Anabacerthia variegaticeps</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Montane Foliage-gleaner | <i>Anabacerthia striaticollis</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Lineated Foliage-gleaner | <i>Syndactyla subalaris</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| Rufous-rumped Foliage-gleaner | <i>Philydor erythrocerum</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Buff-fronted Foliage-gleaner | <i>Philydor rufum</i> | | | | | X | | | | | X | | | | | | | 2 | 0 | 2 |
| Black-billed Treehunter | <i>Thripadectes melanorhynchus</i> | | | | | | | | | | H | H | | | | | | 0 | 2 | 2 |
| Sharp-tailed Streamcreeper | <i>Lochmias nematura</i> | | | | | | | | | | | H | | | | | | 0 | 1 | 1 |
| Plain Xenops | <i>Xenops minutus</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Streaked Xenops | <i>Xenops rutilans</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Plain-brown Woodcreeper | <i>Dendrocincla fuliginosa</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|-------------------------------|--|------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Olivaceous Woodcreeper | <i>Sittasomus griseicapillus</i> | | | | | | | | | | X | X | | | | H | | 2 | 1 | 3 |
| Wedge-billed Woodcreeper | <i>Glyphorhynchus spirurus</i> | | | | X | | | | | | | | | X | | | | 2 | 0 | 2 |
| Long-billed Woodcreeper | <i>Nasica longirostris</i> | | | | | | | | | | | | | | H | | | 0 | 1 | 1 |
| Cinnamon-throated Woodcreeper | <i>Dendrexetastes rufigula</i> | | | | | | | | | | | | | | H | | | 0 | 1 | 1 |
| Strong-billed Woodcreeper | <i>Xiphocolaptes promeropirhynchus</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Amazonian Barred Woodcreeper | <i>Dendrocolaptes certhia</i> | | | | | | | | | | | | | | | H | | 0 | 1 | 1 |
| Black-banded Woodcreeper | <i>Dendrocolaptes picumnus</i> | | | | | | | | | | | | X | | | | | 1 | 0 | 1 |
| Striped Woodcreeper | <i>Xiphorhynchus obsoletus</i> | | | | | | | | | | | | | X | H | | | 1 | 1 | 2 |
| Buff-throated Woodcreeper | <i>Xiphorhynchus guttatus</i> | | | | | | | | | | | | H | X | H | H | | 1 | 3 | 4 |
| Spotted Woodcreeper | <i>Xiphorhynchus erythropygius</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Olive-backed Woodcreeper | <i>Xiphorhynchus triangularis</i> | | | | | | | | | X | X | X | | | | | | 3 | 0 | 3 |
| Montane Woodcreeper | <i>Lepidocolaptes lacrymiger</i> | | | | X | | | X | | X | X | | | | | | | 4 | 0 | 4 |
| Lined Antshrike | <i>Thamnophilus tenuipunctatus</i> | Vulnerable | | | | | | | | | X | H | | | | | | 1 | 1 | 2 |
| Uniform Antshrike | <i>Thamnophilus unicolor</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Mouse-colored Antshrike | <i>Thamnophilus murinus</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Russet Antshrike | <i>Thamnistes anabatinus</i> | | | | | X | | | | | | X | | | | | | 2 | 0 | 2 |
| Dusky-throated Antshrike | <i>Thamnomanes ardesiacus</i> | | | | | | | | | | | | | X | | X | | 2 | 0 | 2 |
| Cinereous Antshrike | <i>Thamnomanes caesius</i> | | | | | | | | | | | | | H | | | | 0 | 1 | 1 |
| Foothill Antwren | <i>Epinecrophylla spodionota</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Ornate Antwren | <i>Epinecrophylla ornata</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Plain-throated Antwren | <i>Iseria hauxwelli</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Pygmy Antwren | <i>Myrmotherula brachyura</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Slaty Antwren | <i>Myrmotherula schisticolor</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Yellow-breasted Antwren | <i>Herpsilochmus axillaris</i> | Vulnerable | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Dot-winged Antwren | <i>Microrhopias quixensis</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Streak-headed Antbird | <i>Drymophila striaticeps</i> | | | | | | | | | X | X | | | | | | | 2 | 0 | 2 |
| Rufous-rumped Antwren | <i>Terenura callinota</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Grey Antbird | <i>Cercomacra cinerascens</i> | | | | | | | | | | | | | | H | | | 0 | 1 | 1 |
| Blackish Antbird | <i>Cercomacra nigrescens</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| White-backed Fire-eye | <i>Pyriglena leuconota</i> | | | | | | | | | | | X | H | | | | | 1 | 1 | 2 |
| Black-faced Antbird | <i>Myrmoborus myotherinus</i> | | | | | | | | | | | | | | | H | | 0 | 1 | 1 |
| Peruvian Warbling Antbird | <i>Hypocnemis peruviana</i> | | | | | | | | | | | | | H | | | | 0 | 1 | 1 |
| Silvered Antbird | <i>Sclateria naevia</i> | | | | | | | | | | | | | X | X | | | 2 | 0 | 2 |
| Plumbeous Antbird | <i>Myrmeciza hyperythra</i> | | | | | | | | | | | | X | | | | | 1 | 0 | 1 |
| Sooty Antbird | <i>Myrmeciza fortis</i> | | | | | | | | | | | | | | | H | | 0 | 1 | 1 |
| Zeledon's Antbird | <i>Myrmeciza zeledoni</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Lunulated Antbird | <i>Gymnopithys lunulatus</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Dot-backed Antbird | <i>Hylophylax punctulatus</i> | | | | | | | | | | | | X | | H | | | 1 | 1 | 2 |
| Rufous-breasted Antthrush | <i>Formicarius rufipectus</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|---------------------------------|-----------------------------------|-----------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Short-tailed Antthrush | <i>Chamaeza campanisona</i> | | | | | | | | | | | H | | | | | | 0 | 1 | 1 |
| Barred Antthrush | <i>Chamaeza mollissima</i> | | | | | | | | | H | | | | | | | | 0 | 1 | 1 |
| Giant Antpitta | <i>Grallaria gigantea</i> | Vulnerable | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Moustached Antpitta | <i>Grallaria alleni</i> | Vulnerable | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Plain-backed Antpitta | <i>Grallaria haplonota</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Chestnut-crowned Antpitta | <i>Grallaria ruficapilla</i> | | | | H | | | | | X | H | | | | | | | 1 | 2 | 3 |
| Yellow-breasted Antpitta | <i>Grallaria flavotincta</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| White-bellied Antpitta | <i>Grallaria hypoleuca</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Rufous Antpitta | <i>Grallaria rufula</i> | | | H | | | | | | | | | | | | | | 0 | 1 | 1 |
| Tawny Antpitta | <i>Grallaria quitensis</i> | | | X | | | | X | H | | | | | | | | | 2 | 1 | 3 |
| Ochre-breasted Antpitta | <i>Grallaricula flavirostris</i> | Near-threatened | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Chestnut-crowned Gnatcatcher | <i>Conopophaga castaneiceps</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Ocellated Tapaculo | <i>Acropternis orthonyx</i> | | | | H | | | | | | | | | | | | | 0 | 1 | 1 |
| Rusty-belted Tapaculo | <i>Liosceles thoracicus</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Northern White-crowned Tapaculo | <i>Scytalopus atratus</i> | | | | | | | | | | H | H | | | | | | 0 | 2 | 2 |
| Long-tailed Tapaculo | <i>Scytalopus micropterus</i> | | | | | | | | H | H | | | | | | | | 0 | 2 | 2 |
| Narino Tapaculo | <i>Scytalopus vicini</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Spillmann's Tapaculo | <i>Scytalopus spillmanni</i> | | | | H | | | | | | | | | | | | | 0 | 1 | 1 |
| Blackish Tapaculo | <i>Scytalopus latrans</i> | | | X | | | | | | H | H | | | | | | | 1 | 2 | 3 |
| Sooty-headed Tyrannulet | <i>Phyllomyias griseiceps</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Black-capped Tyrannulet | <i>Phyllomyias nigrocapillus</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Ashy-headed Tyrannulet | <i>Phyllomyias cinereiceps</i> | | | | | X | | | | X | | | | | | | | 2 | 0 | 2 |
| Tawny-rumped Tyrannulet | <i>Phyllomyias uropygialis</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Yellow-crowned Elaenia | <i>Myiopagis flavivertex</i> | | | | | | X | | | | | | | | | | X | 1 | 0 | 1 |
| Yellow-bellied Elaenia | <i>Elaenia flavogaster</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| White-crested Elaenia | <i>Elaenia albiceps</i> | | | X | | | | | | X | X | | | | | | | 3 | 0 | 3 |
| Sierran Elaenia | <i>Elaenia pallatangae</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| Southern Beardless Tyrannulet | <i>Camptostoma obsoletum</i> | | | | | | | | | | | X | | X | | | | 2 | 0 | 2 |
| White-throated Tyrannulet | <i>Mecocerculus leucophrys</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| White-tailed Tyrannulet | <i>Mecocerculus poecilocercus</i> | | | | X | | | | | X | X | | | | | | | 3 | 0 | 3 |
| Rufous-winged Tyrannulet | <i>Mecocerculus calopterus</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Sulphur-bellied Tyrannulet | <i>Mecocerculus minor</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| White-banded Tyrannulet | <i>Mecocerculus stictopterus</i> | | | X | | | | | X | | | | | | | | | 2 | 0 | 2 |
| Torrent Tyrannulet | <i>Serpophaga cinerea</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Golden-faced Tyrannulet | <i>Zimmerius chrysops</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Choco Tyrannulet | <i>Zimmerius albigularis</i> | | | | X | | H | | | | | | | | | | | 1 | 1 | 2 |
| Marble-faced Bristle Tyrant | <i>Pogonotriccus ophthalmicus</i> | | | | | X | | | | | | X | | | | | | 2 | 0 | 2 |
| Ecuadorian Tyrannulet | <i>Phylloscartes gualaquiza</i> | Near-threatened | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Streak-necked Flycatcher | <i>Mionectes striaticollis</i> | | | | X | | | | | X | X | | | | | | | 3 | 0 | 3 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|--------------------------------|---|--------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Olive-striped Flycatcher | <i>Mionectes olivaceus</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Slaty-capped Flycatcher | <i>Leptopogon superciliaris</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Rufous-breasted Flycatcher | <i>Leptopogon rufipectus</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Flavescent Flycatcher | <i>Myiophobus flavicans</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Olive-chested Flycatcher | <i>Myiophobus cryptoxanthus</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Handsome Flycatcher | <i>Nephelomyias pulcher</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Ornate Flycatcher | <i>Myiotriccus ornatus</i> | | | | X | X | | | | | | H | | | | | | 2 | 1 | 3 |
| Scale-crested Pygmy Tyrant | <i>Lophotriccus pileatus</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Double-banded Pygmy Tyrant | <i>Lophotriccus vitiosus</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Rufous-crowned Tody-Flycatcher | <i>Poecilatriccus ruficeps</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Common Tody-Flycatcher | <i>Todirostrum cinereum</i> | | | | X | X | | | | | X | X | | | | | | 4 | 0 | 4 |
| Yellow-browed Tody-Flycatcher | <i>Todirostrum chrysocrotaphum</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Cinnamon Flycatcher | <i>Pyrrhomyias cinnamomeus</i> | | | | X | | | | X | X | X | | | | | | | 4 | 0 | 4 |
| Cliff Flycatcher | <i>Hirundinea ferruginea</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Fuscos Flycatcher | <i>Cnemotriccus fuscatus</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Black Phoebe | <i>Sayornis nigricans</i> | | | X | | X | X | | X | X | | | | | | | | 5 | 0 | 5 |
| Smoke-colored Pewee | <i>Contopus fumigatus</i> | | | X | X | X | | | | X | X | | | | | | | 5 | 0 | 5 |
| Riverside Tyrant | <i>Knipolegus orenocensis</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Paramo Ground Tyrant | <i>Muscisaxicola alpinus</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Black-billed Shrike-Tyrant | <i>Agriornis montanus</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Streak-throated Bush Tyrant | <i>Myiotheretes striaticollis</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Smoky Bush Tyrant | <i>Myiotheretes fumigatus</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| Yellow-bellied Chat-Tyrant | <i>Silvicultrix diadema</i> | | | | | | | | | H | | | | | | | | 0 | 1 | 1 |
| Slaty-backed Chat-Tyrant | <i>Ochthoeca cinnamomeiventris</i> | | | | X | | | | X | | | | | | | | | 2 | 0 | 2 |
| Rufous-breasted Chat-Tyrant | <i>Ochthoeca rufipectoralis</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Brown-backed Chat-Tyrant | <i>Ochthoeca fumicolor</i> | | | | | | | X | X | | | | | | | | | 2 | 0 | 2 |
| Long-tailed Tyrant | <i>Colonia colonus</i> | | | | | | | | | | X | X | X | | | | | 3 | 0 | 3 |
| Piratic Flycatcher | <i>Legatus leucophaeus</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Rusty-margined Flycatcher | <i>Myiozetetes cayanensis</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Social Flycatcher | <i>Myiozetetes similis</i> | | | | | | | | | | X | X | X | X | X | X | X | 7 | 0 | 7 |
| Grey-capped Flycatcher | <i>Myiozetetes granadensis</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Great Kiskadee | <i>Pitangus sulphuratus</i> | | | | | | | | | | | | X | X | X | X | X | 5 | 0 | 5 |
| Lesser Kiskadee | <i>Philohydor lictor</i> | | | | | | | | | | | | X | X | X | X | X | 5 | 0 | 5 |
| Golden-crowned Flycatcher | <i>Myiodynastes chrysocephalus</i> | | | X | | X | X | | | X | | | | | | | | 4 | 0 | 4 |
| Sulphury Flycatcher | <i>Tyrannopsis sulphurea</i> | | | | | | | | | | | | H | | | | | 0 | 1 | 1 |
| Crowned Slaty Flycatcher | <i>Griseotyrannus aurantioatrocristatus</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Tropical Kingbird | <i>Tyrannus melancholicus</i> | | | | | X | X | | | X | X | X | X | X | X | X | | 9 | 0 | 9 |
| Dusky-capped Flycatcher | <i>Myiarchus tuberculifer</i> | | | | | X | | | | | | | X | | X | | | 3 | 0 | 3 |
| Pale-edged Flycatcher | <i>Myiarchus cephalotes</i> | | | | | | | | | X | X | | | | | | | 2 | 0 | 2 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|----------------------------|------------------------------------|-----------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Large-headed Flatbill | <i>Ramphotrigon megacephalum</i> | | | | | | | | | | | | X | | | | | 1 | 0 | 1 |
| Rufous-tailed Flatbill | <i>Ramphotrigon ruficauda</i> | | | | | | | | | | | | H | H | H | | | 0 | 3 | 3 |
| Cinnamon Attila | <i>Attila cinnamomeus</i> | | | | | | | | | | | | | X | H | H | H | 1 | 3 | 4 |
| Citron-bellied Attila | <i>Attila citriniventris</i> | | | | | | | | | | | | | H | | H | | 0 | 2 | 2 |
| Red-crested Cotinga | <i>Ampelion rubrocristatus</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Green-and-black Fruiteater | <i>Pipreola riefferii</i> | | | | X | | | | | X | | | | | | | | 2 | 0 | 2 |
| Barred Fruiteater | <i>Pipreola arcuata</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Orange-breasted Fruiteater | <i>Pipreola jucunda</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Black-chested Fruiteater | <i>Pipreola lubomirskii</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Andean Cock-of-the-rock | <i>Rupicola peruvianus</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Spangled Cotinga | <i>Cotinga cayana</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Screaming Piha | <i>Lipaugus vociferans</i> | | | | | | | | | | | | | H | | | | 0 | 1 | 1 |
| Bare-necked Fruitcrow | <i>Gymnoderus foetidus</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Purple-throated Fruitcrow | <i>Querula purpurata</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Amazonian Umbrellabird | <i>Cephalopterus ornatus</i> | | | | | | | | | | | | | X | X | | | 2 | 0 | 2 |
| Golden-winged Manakin | <i>Masius chrysopterus</i> | | | | X | | | | | | | X | | | | | | 2 | 0 | 2 |
| Club-winged Manakin | <i>Machaeropterus deliciosus</i> | | | | | H | | | | | | | | | | | | 0 | 1 | 1 |
| Blue-crowned Manakin | <i>Lepidothrix coronata</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Blue-rumped Manakin | <i>Lepidothrix isidorei</i> | Near-threatened | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| White-bearded Manakin | <i>Manacus manacus</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Orange-crested Manakin | <i>Heterocercus aurantiivertex</i> | | | | | | | | | | | | | | X | X | | 2 | 0 | 2 |
| Wire-tailed Manakin | <i>Pipra filicauda</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| White-crowned Manakin | <i>Dixiphia pipra</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Black-tailed Tityra | <i>Tityra cayana</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Masked Tityra | <i>Tityra semifasciata</i> | | | | X | | | | | | X | | | | | | | 2 | 0 | 2 |
| White-browed Purpletuft | <i>Iodopleura isabellae</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Yellow-cheeked Becard | <i>Pachyramphus xanthogenys</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Barred Becard | <i>Pachyramphus versicolor</i> | | | | | | X | | | X | X | | | | | | | 3 | 0 | 3 |
| White-winged Becard | <i>Pachyramphus polychopterus</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Pink-throated Becard | <i>Pachyramphus minor</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Black-billed Peppershrike | <i>Cyclarhis nigrirostris</i> | | | | H | | X | | | X | X | | | | | | | 3 | 1 | 4 |
| Slaty-capped Shrike-Vireo | <i>Vireolanius leucotis</i> | | | | | | | | | | | H | | | | | | 0 | 1 | 1 |
| Brown-capped Vireo | <i>Vireo leucophrys</i> | | | X | X | X | X | | | X | X | X | | | | | | 7 | 0 | 7 |
| Red-eyed Vireo | <i>Vireo olivaceus</i> | | | | X | X | | | | | | | | | | | | 2 | 0 | 2 |
| Rufous-naped Greenlet | <i>Hylophilus semibrunneus</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Olivaceous Greenlet | <i>Hylophilus olivaceus</i> | Near-threatened | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Lesser Greenlet | <i>Hylophilus decurtatus</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Turquoise Jay | <i>Cyanolyca turcosa</i> | | | | X | | | | | X | | | | | | | | 2 | 0 | 2 |
| Beautiful Jay | <i>Cyanolyca pulchra</i> | Near-threatened | | X | | | | | | | | | | | | | | 1 | 0 | 1 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|-------------------------------|-----------------------------------|--------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Violaceous Jay | <i>Cyanocorax violaceus</i> | | | | | | | | | | X | | X | | X | X | | 4 | 0 | 4 |
| Inca Jay | <i>Cyanocorax yncas</i> | | | | | | | | | X | X | | | | | | | 2 | 0 | 2 |
| White-winged Swallow | <i>Tachycineta albiventer</i> | | | | | | | | | | | | X | X | X | X | X | 5 | 0 | 5 |
| Grey-breasted Martin | <i>Progne chalybea</i> | | | | | | | | | | | | X | X | X | X | | 4 | 0 | 4 |
| Brown-chested Martin | <i>Progne tapera</i> | | | | | | | | | | | | | X | X | X | | 3 | 0 | 3 |
| Blue-and-white Swallow | <i>Notiochelidon cyanoleuca</i> | | | X | X | X | X | | X | X | X | X | | | | | | 8 | 0 | 8 |
| Brown-bellied Swallow | <i>Notiochelidon murina</i> | | | X | | | | X | X | X | | | | | | | | 4 | 0 | 4 |
| Pale-footed Swallow | <i>Notiochelidon flavipes</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| White-banded Swallow | <i>Atticora fasciata</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| White-thighed Swallow | <i>Neochelidon tibialis</i> | | | | | | X | | | | X | | | | | | | 2 | 0 | 2 |
| Southern Rough-winged Swallow | <i>Stelgidopteryx ruficollis</i> | | | | X | X | X | | | | X | X | X | X | X | X | | 9 | 0 | 9 |
| Black-capped Donacobius | <i>Donacobius atricapilla</i> | | | | | | | | | | | | X | X | X | X | | 4 | 0 | 4 |
| Thrush-like Wren | <i>Campylorhynchus turdinus</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Grey-mantled Wren | <i>Odontorchilus branickii</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Rufous Wren | <i>Cinnycerthia unirufa</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Sepia-brown Wren | <i>Cinnycerthia olivascens</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Plain-tailed Wren | <i>Pheugopedius euophrys</i> | | | | H | | | | H | H | X | | | | | | | 1 | 3 | 4 |
| Coraya Wren | <i>Pheugopedius coraya</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Bay Wren | <i>Cantorchilus nigricapillus</i> | | | | H | H | | | | | | | | | | | | 0 | 2 | 2 |
| House Wren | <i>Troglodytes aedon</i> | | | | X | X | X | | | | | | X | X | | X | | 6 | 0 | 6 |
| Mountain Wren | <i>Troglodytes solstitialis</i> | | | | | | | | X | X | | | | | | | | 2 | 0 | 2 |
| Grey-breasted Wood Wren | <i>Henicorhina leucophrys</i> | | | H | X | X | H | H | H | H | H | | | | | | | 2 | 6 | 8 |
| Wing-banded Wren | <i>Microcerculus bamba</i> | | | | | | | | | | | H | | | | | | 0 | 1 | 1 |
| Tropical Mockingbird | <i>Mimus gilvus</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Andean Solitaire | <i>Myadestes ralloides</i> | | | H | H | H | H | | | | | | | | | | | 0 | 4 | 4 |
| Black Solitaire | <i>Entomodestes coracinus</i> | | | | | | H | | | | | | | | | | | 0 | 1 | 1 |
| Great Thrush | <i>Turdus fuscater</i> | | | X | X | | | X | X | X | X | | | | | | X | 7 | 0 | 7 |
| Glossy-black Thrush | <i>Turdus serranus</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Black-billed Thrush | <i>Turdus ignobilis</i> | | | | | | | | | | X | | X | | | | | 2 | 0 | 2 |
| Lawrence's Thrush | <i>Turdus lawrencii</i> | | | | | | | | | | | | | H | | H | | 0 | 2 | 2 |
| Hauxwell's Thrush | <i>Turdus hauxwelli</i> | | | | | | | | | | | | | | H | H | | 0 | 2 | 2 |
| Ecuadorian Thrush | <i>Turdus maculirostris</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| White-capped Dipper | <i>Cinclus leucocephalus</i> | | | X | | X | | | X | | | | | | | | | 3 | 0 | 3 |
| Paramo Pipit | <i>Anthus bogotensis</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Yellow-bellied Siskin | <i>Spinus xanthogastra</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Olivaceous Siskin | <i>Spinus olivacea</i> | | | | | | | | | | | | X | | | | | 1 | 0 | 1 |
| Hooded Siskin | <i>Spinus magellanica</i> | | | | | | | X | | | | | | | | | | 1 | 0 | 1 |
| Orange-crowned Euphonia | <i>Euphonia saturata</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Thick-billed Euphonia | <i>Euphonia lanirostris</i> | | | | X | X | | | | | | | | | | | | 2 | 0 | 2 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|--------------------------------|----------------------------------|--------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| White-lored Euphonia | <i>Euphonia chrysopasta</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Bronze-green Euphonia | <i>Euphonia mesochrysa</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| White-vented Euphonia | <i>Euphonia minuta</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Orange-bellied Euphonia | <i>Euphonia xanthogaster</i> | | | X | X | X | X | | | X | X | X | X | X | | X | | 10 | 0 | 10 |
| Rufous-bellied Euphonia | <i>Euphonia rufiventris</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Blue-naped Chlorophonia | <i>Chlorophonia cyanea</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Chestnut-breasted Chlorophonia | <i>Chlorophonia pyrrhophrys</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Olive-crowned Yellowthroat | <i>Geothlypis semiflava</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Tropical Parula | <i>Setophaga pitaiyumi</i> | | | | X | X | X | | | | | X | | | | | | 4 | 0 | 4 |
| Citrine Warbler | <i>Myiothlypis luteoviridis</i> | | | | | | | | | H | | | | | | | | 0 | 1 | 1 |
| Black-crested Warbler | <i>Myiothlypis nigrocristata</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| Buff-rumped Warbler | <i>Myiothlypis fulvicauda</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Choco Warbler | <i>Myiothlypis chlorophrys</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Russet-crowned Warbler | <i>Myiothlypis coronata</i> | | | | X | | | | | X | X | | | | | | | 3 | 0 | 3 |
| Three-striped Warbler | <i>Basileuterus tristriatus</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Slate-throated Whitestart | <i>Myioborus miniatus</i> | | | X | X | X | X | | | X | X | X | X | | | | | 8 | 0 | 8 |
| Spectacled Whitestart | <i>Myioborus melanocephalus</i> | | | X | X | | | | X | X | X | | | | | | | 5 | 0 | 5 |
| Casqued Oropendola | <i>Clypicterus oseryi</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Crested Oropendola | <i>Psarocolius decumanus</i> | | | | | | | | | | X | | X | | X | X | | 4 | 0 | 4 |
| Green Oropendola | <i>Psarocolius viridis</i> | | | | | | | | | | | | | | H | X | | 1 | 1 | 2 |
| Russet-backed Oropendola | <i>Psarocolius angustifrons</i> | | | | | | | | | X | X | X | X | X | X | X | | 7 | 0 | 7 |
| Olive Oropendola | <i>Psarocolius bifasciatus</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Yellow-rumped Cacique | <i>Cacicus cela</i> | | | | | | | | | | X | | X | X | X | X | | 5 | 0 | 5 |
| Subtropical Cacique | <i>Cacicus uropygialis</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Scarlet-rumped Cacique | <i>Cacicus microrhynchus</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Northern Mountain Cacique | <i>Cacicus leucoramphus</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| Yellow-billed Cacique | <i>Amblycercus holosericeus</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Oriole Blackbird | <i>Gymnomystax mexicanus</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Giant Cowbird | <i>Molothrus oryzivorus</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| Shiny Cowbird | <i>Molothrus bonariensis</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| Bananaquit | <i>Coereba flaveola</i> | | | | | X | | | | | X | X | | | | | | 3 | 0 | 3 |
| Rufous-collared Sparrow | <i>Zonotrichia capensis</i> | | | X | X | X | X | X | X | X | X | | | | | | X | 9 | 0 | 9 |
| Yellow-browed Sparrow | <i>Ammodramus aurifrons</i> | | | | | | | | | | X | X | X | | X | | | 4 | 0 | 4 |
| Black-striped Sparrow | <i>Arremonops conirostris</i> | | | | | | H | | | | | | | | | | | 0 | 1 | 1 |
| Choco Brush Finch | <i>Atlapetes crassus</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Rufous-naped Brush Finch | <i>Atlapetes latinuchus</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Slaty Brush Finch | <i>Atlapetes schistaceus</i> | | | | | | | | H | | | | | | | | | 0 | 1 | 1 |
| White-winged Brush Finch | <i>Atlapetes leucopterus</i> | | | H | | | | | | | | | | | | | | 0 | 1 | 1 |
| Common Bush Tanager | <i>Chlorospingus flavopectus</i> | | | | | | | | | X | X | | | | | | | 2 | 0 | 2 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|----------------------------------|-----------------------------------|------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Dusky Bush Tanager | <i>Chlorospingus semifuscus</i> | | | | X | X | X | | | | | | | | | | | 3 | 0 | 3 |
| Yellow-throated Bush Tanager | <i>Chlorospingus flavigularis</i> | | | | | X | | | | | X | X | | | | | | 3 | 0 | 3 |
| Red-capped Cardinal | <i>Paroaria gularis</i> | | | | | | | | | | | | | X | X | X | | 3 | 0 | 3 |
| Magpie Tanager | <i>Cissopis leverianus</i> | | | | | | | | | | X | | X | | | | | 2 | 0 | 2 |
| White-capped Tanager | <i>Sericossypha albocristata</i> | Vulnerable | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Black-capped Hemispingus | <i>Hemispingus atropileus</i> | | | | | | | | H | | | | | | | | | 0 | 1 | 1 |
| Superciliaried Hemispingus | <i>Hemispingus superciliaris</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Black-eared Hemispingus | <i>Hemispingus melanotis</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| Western Hemispingus | <i>Hemispingus ochraceus</i> | | | X | X | | | | | | | | | | | | | 2 | 0 | 2 |
| Grey-hooded Bush Tanager | <i>Cnemoscopus rubrirostris</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| Orange-headed Tanager | <i>Thlypopsis sordida</i> | | | | | | | | | | | | | | X | | | 1 | 0 | 1 |
| White-shouldered Tanager | <i>Tachyphonus luctuosus</i> | | | | | X | X | | | | X | | | | | | | 3 | 0 | 3 |
| White-lined Tanager | <i>Tachyphonus rufus</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Fulvous Shrike-Tanager | <i>Lanio fulvus</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Masked Crimson Tanager | <i>Ramphocelus nigrogularis</i> | | | | | | | | | | | | | X | | | | 1 | 0 | 1 |
| Silver-beaked Tanager | <i>Ramphocelus carbo</i> | | | | | | | | | | X | X | X | | X | | | 4 | 0 | 4 |
| Lemon-rumped Tanager | <i>Ramphocelus icteronotus</i> | | | | X | X | X | | | | | | | | | | | 3 | 0 | 3 |
| Blue-grey Tanager | <i>Thraupis episcopus</i> | | | | X | X | X | | | X | X | X | X | X | X | | | 9 | 0 | 9 |
| Palm Tanager | <i>Thraupis palmarum</i> | | | | X | X | | | | X | X | X | X | X | | | | 7 | 0 | 7 |
| Moss-backed Tanager | <i>Bangsia edwardsi</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Hooded Mountain Tanager | <i>Buthraupis montana</i> | | | X | | | | | X | | | | | | | | | 2 | 0 | 2 |
| Black-chested Mountain Tanager | <i>Buthraupis eximia</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Lacrimose Mountain Tanager | <i>Anisognathus lacrymosus</i> | | | | | | | | X | | | | | | | | | 1 | 0 | 1 |
| Scarlet-bellied Mountain Tanager | <i>Anisognathus igniventris</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Blue-winged Mountain Tanager | <i>Anisognathus somptuosus</i> | | | X | X | X | | | | X | X | | | | | | | 5 | 0 | 5 |
| Black-chinned Mountain Tanager | <i>Anisognathus notabilis</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Grass-green Tanager | <i>Chlorornis riefferii</i> | | | | X | | | | X | | | | | | | | | 2 | 0 | 2 |
| Fawn-breasted Tanager | <i>Pipraeidea melanonota</i> | | | | X | X | | | | | X | | | | | | | 3 | 0 | 3 |
| Orange-eared Tanager | <i>Chlorochrysa calliparaea</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Paradise Tanager | <i>Tangara chilensis</i> | | | | | | | | | | X | X | X | | | | | 3 | 0 | 3 |
| Green-and-gold Tanager | <i>Tangara schrankii</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Golden Tanager | <i>Tangara arthus</i> | | | X | X | X | X | | | | X | X | | | | | | 6 | 0 | 6 |
| Silver-throated Tanager | <i>Tangara icterocephala</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Saffron-crowned Tanager | <i>Tangara xanthocephala</i> | | | | | | | | | X | X | | | | | | | 2 | 0 | 2 |
| Golden-eared Tanager | <i>Tangara chrysotis</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Flame-faced Tanager | <i>Tangara parzudakii</i> | | | | X | X | X | | | X | X | | | | | | | 5 | 0 | 5 |
| Yellow-bellied Tanager | <i>Tangara xanthogastra</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Spotted Tanager | <i>Tangara punctata</i> | | | | | | | | | | X | X | X | | | | | 3 | 0 | 3 |
| Rufous-throated Tanager | <i>Tangara rufigula</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|------------------------------|-----------------------------------|------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Bay-headed Tanager | <i>Tangara gyrola</i> | | | | | X | | | | | X | X | X | | | | | 4 | 0 | 4 |
| Golden-naped Tanager | <i>Tangara ruficervix</i> | | | | X | X | X | | | | | | | | | | | 3 | 0 | 3 |
| Metallic-green Tanager | <i>Tangara labradorides</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Blue-browed Tanager | <i>Tangara cyanotis</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Blue-necked Tanager | <i>Tangara cyanicollis</i> | | | | | | | | | | X | X | X | | | | | 3 | 0 | 3 |
| Beryl-spangled Tanager | <i>Tangara nigroviridis</i> | | | | X | | | | | X | X | | | | | | | 3 | 0 | 3 |
| Black-capped Tanager | <i>Tangara heinei</i> | | | | X | | | | | X | X | | | | | | | 3 | 0 | 3 |
| Swallow Tanager | <i>Tersina viridis</i> | | | | | | X | | | | | X | | | | | | 2 | 0 | 2 |
| Black-faced Dacnis | <i>Dacnis lineata</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Yellow-bellied Dacnis | <i>Dacnis flaviventer</i> | | | | | | | | | | | | | | | X | | 1 | 0 | 1 |
| Blue Dacnis | <i>Dacnis cayana</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Purple Honeycreeper | <i>Cyanerpes caeruleus</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Green Honeycreeper | <i>Chlorophanes spiza</i> | | | | | X | | | | | X | X | | | | | | 3 | 0 | 3 |
| Golden-collared Honeycreeper | <i>Iridophanes pulcherrimus</i> | | | | | | | | | X | | X | | | | | | 2 | 0 | 2 |
| Chestnut-vented Conebill | <i>Conirostrum speciosum</i> | | | | | | | | | | X | | | | | | | 1 | 0 | 1 |
| Cinereous Conebill | <i>Conirostrum cinereum</i> | | | X | | | | X | | | | | | | | | | 2 | 0 | 2 |
| Blue-backed Conebill | <i>Conirostrum sitticolor</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Capped Conebill | <i>Conirostrum albifrons</i> | | | | X | | | | X | | | | | | | | | 2 | 0 | 2 |
| Glossy Flowerpiercer | <i>Diglossa lafresnayii</i> | | | X | | | | | | | | | | | | | | 1 | 0 | 1 |
| Black Flowerpiercer | <i>Diglossa humeralis</i> | | | X | | | | X | X | | | | | | | | X | 4 | 0 | 4 |
| White-sided Flowerpiercer | <i>Diglossa albilatera</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| Indigo Flowerpiercer | <i>Diglossa indigotica</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Golden-eyed Flowerpiercer | <i>Diglossa glauca</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |
| Bluish Flowerpiercer | <i>Diglossa caeruleascens</i> | | | | | | | | | X | X | | | | | | | 2 | 0 | 2 |
| Masked Flowerpiercer | <i>Diglossa cyanea</i> | | | X | X | | | X | X | X | X | | | | | | | 6 | 0 | 6 |
| Tanager Finch | <i>Oreothraupis arremonops</i> | Vulnerable | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Plumbeous Sierra Finch | <i>Phrygilus unicolor</i> | | | | | | | X | X | | | | | | | | | 2 | 0 | 2 |
| Slaty Finch | <i>Haplospiza rustica</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| Blue-black Grassquit | <i>Volatinia jacarina</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Variable Seedeater | <i>Sporophila corvina</i> | | | | X | | X | | | | | | | | | | | 2 | 0 | 2 |
| Yellow-bellied Seedeater | <i>Sporophila nigricollis</i> | | | | X | | X | | | | | | | | | | | 2 | 0 | 2 |
| Chestnut-bellied Seedeater | <i>Sporophila castaneiventris</i> | | | | | | | | | | X | X | X | | X | | | 4 | 0 | 4 |
| Plain-colored Seedeater | <i>Catamenia inornata</i> | | | X | X | | | X | | | | | | | | | | 3 | 0 | 3 |
| Yellow-faced Grassquit | <i>Tiaris olivaceus</i> | | | | | | X | | | | | | | | | | | 1 | 0 | 1 |
| Plushcap | <i>Catamblyrhynchus diadema</i> | | | | | | | | | X | | | | | | | | 1 | 0 | 1 |
| White-winged Tanager | <i>Piranga leucoptera</i> | | | | X | | | | | | | | | | | | | 1 | 0 | 1 |
| Ochre-breasted Tanager | <i>Chlorothraupis stolzmanni</i> | | | | | X | | | | | | | | | | | | 1 | 0 | 1 |
| Slate-colored Grosbeak | <i>Saltator grossus</i> | | | | | | | | | | | X | | | | | | 1 | 0 | 1 |
| Buff-throated Saltator | <i>Saltator maximus</i> | | | | | X | X | | | | X | | | | | | | 3 | 0 | 3 |

Northern Ecuador - Andes & Amazon - August 8-23, 2014

| Common Name | Scientific Name | Status | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | Seen | Heard | Total |
|-----------------------|------------------------------|--------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|------|-------|-------|
| Black-winged Saltator | <i>Saltator atripennis</i> | | | | X | H | X | | | | | | | | | | | 2 | 1 | 3 |
| Greyish Saltator | <i>Saltator coerulescens</i> | | | | | | | | | | X | X | | | | | | 2 | 0 | 2 |

| | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|----|-----|-----|----|----|----|----|-----|-----|----|----|-----|-----|----|-----|--|----|--|------------|
| Total Seen | 0 | 60 | 90 | 105 | 63 | 55 | 50 | 82 | 124 | 104 | 67 | 62 | 87 | 90 | 33 | 525 | | | | |
| Total Heard | 0 | 10 | 13 | 6 | 6 | 1 | 7 | 11 | 8 | 13 | 11 | 13 | 18 | 22 | 2 | | | 99 | | |
| Total Seen or Heard | 0 | 70 | 103 | 111 | 69 | 56 | 57 | 93 | 132 | 117 | 78 | 75 | 105 | 112 | 35 | | | | | |
| Total Species Count | | | | | | | | | | | | | | | | | | | | 587 |